

Blue Earth County Health Needs Assessment Data

Fall 2016



Contents

Introduction	3
General Health	5
Health Concerns	6
Care Access and Utilization	21
Insurance Status	76
Weight/BMI	77
Eating and Food Access	78
Physical Activity	91
Safety	101
Tobacco Use	109
Alcohol/Drug Use	126
Suicide	131
Interest in Healthy Community Initiatives	132
Appendix A: Study Methodology	145
Appendix B: Survey Instrument	147

Acknowledgments

We would like to thank the residents of Blue Earth County who completed the survey upon which this data book is based.

In addition, we would like to thank the public health staff and Mayo Clinic Health System staff who contributed to the completion of this study. We would also like to thank Ann Kinney, PhD, from the Minnesota Department of Health, for the technical assistance, review and analysis she provided.

This data book was compiled and formatted by 3Square Creative Services and was funded by Blue Earth County Public Health through the Minnesota Department of Health's Statewide Health Improvement Partnership (SHIP).

Introduction

From April through June 2016, nearly 4,782 households across a nine county region were surveyed about their general health status, chronic health conditions, nutrition, physical activity, tobacco use, and related topics. This survey was initiated by the Mayo Clinic Health System and the nine counties' public health departments. Staff from the Minnesota Department of Health provided technical assistance in design, administration and analysis.

Methods

Nearly 2,000 households in Blue Earth County were invited to participate and 450 completed a survey, for a response rate of 22.5 percent. The survey was conducted by mail; each potential respondent received up to two reminders following the initial mailing.

Survey respondents are representative of the adult population of Blue Earth County. Post-stratification weighting was used, based on gender and age, to ensure representativeness. More detailed information about the study methods and the survey instrument are included in the Appendices.

How to use this data book

This data book provides the detailed survey results for the residents of Blue Earth County. Each table includes the results for one survey question. In each table, the overall results for Blue Earth County are reported, along with results for sub-groups in the population. The results are reported by gender, age, location, education and income. Sub-groups that have fewer than 30 cases were not reported and/or were denoted with an asterisk *.

In general, which of the following best describes your health?						
	Total	Poor	Fair	Good	Very good	Excellent
Unweighted Count	421	11	49	145	158	58
	100%	1.3%	11.4%	30.0%	41.4%	15.8%
		Poor	Fair	Good	Very good	Excellent
Sex	Male	0.9%	17.4%	32.8%	36.4%	12.5%
	Female	1.7%	5.5%	27.3%	46.5%	19.1%
Age Groups	18-34	0.0%	14.3%	24.4%	43.4%	17.9%
	35-44	2.8%	7.4%	32.0%	42.8%	15.0%
	45-54	0.0%	3.9%	25.7%	50.4%	20.0%
	55-64	3.8%	7.6%	41.3%	35.6%	11.6%
	65-74	3.0%	10.6%	40.1%	33.4%	13.0%
	75+	3.1%	21.9%	39.4%	28.9%	6.8%
Education	High school/GED or less	5.6%	31.4%	25.0%	23.0%	15.0%
	Some college/vocational school or Assoc Deg	1.0%	11.2%	36.2%	38.0%	13.6%
	College graduate	0.2%	4.5%	35.9%	41.6%	17.8%
	Graduate school or beyond	0.0%	7.4%	14.6%	61.8%	16.2%
Income	<\$20,000	1.6%	25.6%	31.3%	31.7%	9.8%
	\$20,000-\$34,999	3.3%	8.4%	29.7%	41.7%	16.9%
	\$35,000-\$49,999	1.3%	11.4%	39.2%	38.0%	10.2%
	\$50,000-\$74,999	2.3%	4.2%	34.6%	39.2%	19.7%
	\$75,000-\$99,999	0.0%	2.5%	23.9%	58.2%	15.4%
	\$100,000+	0.0%	3.6%	24.8%	46.0%	25.7%

Q2.

Health Concerns

Have you ever been told that you have, are, or experience any of the following?

	No	Yes	Yes, during pregnancy
Q2a High blood pressure or hypertension	76.7%	21.5%	1.8%
Q2b Diabetes	90.2%	8.0%	1.7%
Q2c Overweight	63.8%	36.2%	0.0%
Q2d Cancer	93.8%	6.2%	0.0%
Q2e Chronic lung disease (including COPD, chronic bronchitis or emphysema)	96.4%	3.6%	0.0%
Q2f Heart trouble or angina	92.7%	7.3%	0.0%
Q2g Stroke or stroke-related health problems	95.5%	4.5%	0.0%
Q2h High cholesterol or triglycerides	77.8%	22.2%	0.0%
Q2i Depression	66.2%	33.8%	0.0%
Q2j Anxiety or panic attacks	67.5%	32.5%	0.0%
Q2k Memory loss, Alzheimer's or another form of dementia	97.6%	2.4%	0.0%
Q2l Other mental health problems	78.0%	22.0%	0.0%
Q2m Obesity	86.6%	13.4%	0.0%
Q2n Asthma	86.1%	13.9%	0.0%

Have you ever been told by a doctor, nurse, or other health professional that you had ***high blood pressure or hypertension?***

	Total	No	Yes	Yes, during pregnancy
Unweighted Count	437	272	158	7
	100.0%	76.7%	21.5%	1.8%
High blood pressure or hypertension				
		No	Yes	Yes, during pregnancy
Sex	Male	77.2%	22.8%	0.0%
	Female	76.2%	20.3%	3.6%
Age Groups	18-34	90.1%	8.2%	1.7%
	35-44	80.9%	13.9%	5.2%
	45-54	77.5%	20.0%	2.5%
	55-64	60.0%	40.0%	0.0%
	65-74	50.2%	49.2%	0.6%
	75+	43.4%	56.6%	0.0%
Education	High school/GED or less	77.5%	22.5%	0.0%
	Some college/vocational school or Assoc Degree	65.4%	31.4%	3.1%
	College graduate	83.1%	14.3%	2.6%
	Graduate school or beyond	78.1%	21.9%	0.0%
Income	<\$20,000	87.3%	11.7%	0.9%
	\$20,000-\$34,999	54.8%	45.2%	0.0%
	\$35,000-\$49,999	67.5%	32.2%	0.4%
	\$50,000-\$74,999	76.9%	23.1%	0.0%
	\$75,000-\$99,999	84.3%	15.7%	0.0%
	\$100,000+	77.7%	14.6%	7.7%

Q2b.

Health Concerns

Have you ever been told by a doctor, nurse, or other health professional that you had <i>diabetes</i> ?				
	Total	No	Yes	Yes, during pregnancy
Unweighted Count	437	368	62	7
	100.0%	90.2%	8.0%	1.7%
		Diabetes		
		No	Yes	Yes, during pregnancy
Sex	Male	92.9%	7.1%	0.0%
	Female	87.5%	9.0%	3.5%
Age Groups	18-34	97.2%	1.7%	1.1%
	35-44	81.6%	9.7%	8.7%
	45-54	89.2%	9.6%	1.2%
	55-64	86.2%	13.8%	0.0%
	65-74	78.7%	21.3%	0.0%
	75+	82.6%	17.4%	0.0%
Education	High school/GED or less	85.9%	14.1%	0.0%
	Some college/vocational school or Assoc Deg	86.9%	13.1%	0.0%
	College graduate	91.6%	4.2%	4.2%
	Graduate school or beyond	96.6%	2.4%	1.0%
Income	<\$20,000	94.6%	5.4%	0.0%
	\$20,000-\$34,999	88.7%	11.3%	0.0%
	\$35,000-\$49,999	82.3%	13.6%	4.1%
	\$50,000-\$74,999	90.2%	8.1%	1.7%
	\$75,000-\$99,999	89.1%	10.9%	0.0%
	\$100,000+	92.5%	3.3%	4.2%

Have you ever been told by a doctor, nurse, or other health professional that you were <u>overweight</u> ?			
	Total	No	Yes
Unweighted Count	437	269	168
	100.0%	63.8%	36.2%
		Overweight	
		No	Yes
Sex	Male	66.6%	33.4%
	Female	61.0%	39.0%
Age Groups	18-34	70.3%	29.7%
	35-44	60.5%	39.5%
	45-54	54.2%	45.8%
	55-64	54.9%	45.1%
	65-74	58.9%	41.1%
	75+	68.9%	31.1%
Education	High school/GED or less	76.6%	23.4%
	Some college/vocational school or Assoc Deg	54.1%	45.9%
	College graduate	65.3%	34.7%
	Graduate school or beyond	60.5%	39.5%
Income	<\$20,000	69.5%	30.5%
	\$20,000-\$34,999	51.0%	49.0%
	\$35,000-\$49,999	60.6%	39.4%
	\$50,000-\$74,999	68.3%	31.7%
	\$75,000-\$99,999	67.8%	32.2%
	\$100,000+	59.5%	40.5%

Q2d.

Health Concerns

Have you ever been told by a doctor, nurse, or other health professional that you had <u>cancer</u> ?			
	Total	No	Yes
Unweighted Count	437	377	60
	100.0%	93.8%	6.2%
		Cancer	
		No	Yes
Sex	Male	96.2%	3.8%
	Female	91.4%	8.6%
Age Groups	18-34	97.2%	2.8%
	35-44	97.7%	2.3%
	45-54	98.8%	1.2%
	55-64	91.6%	8.4%
	65-74	81.0%	19.0%
	75+	74.7%	25.3%
Education	High school/GED or less	89.7%	10.3%
	Some college/vocational school or Assoc Deg	90.7%	9.3%
	College graduate	97.6%	2.4%
	Graduate school or beyond	95.1%	4.9%
Income	<\$20,000	98.0%	2.0%
	\$20,000-\$34,999	91.1%	8.9%
	\$35,000-\$49,999	96.5%	3.5%
	\$50,000-\$74,999	85.8%	14.2%
	\$75,000-\$99,999	89.9%	10.1%
	\$100,000+	96.4%	3.6%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>chronic lung disease (including COPD, chronic bronchitis or emphysema)</i> ?			
	Total	No	Yes
Unweighted Count	437	400	37
	100.0%	96.4%	3.6%
		Chronic lung disease (including COPD, chronic bronchitis or emphysema)	
		No	Yes
Sex	Male	96.1%	3.9%
	Female	96.6%	3.4%
Age Groups	18-34	100.0%	0.0%
	35-44	96.0%	4.0%
	45-54	96.7%	3.3%
	55-64	93.2%	6.8%
	65-74	87.3%	12.7%
	75+	89.2%	10.8%
Education	High school/GED or less	89.7%	10.3%
	Some college/vocational school or Assoc Deg	96.3%	3.7%
	College graduate	99.1%	0.9%
	Graduate school or beyond	97.8%	2.2%
Income	<\$20,000	96.0%	4.0%
	\$20,000-\$34,999	89.7%	10.3%
	\$35,000-\$49,999	96.8%	3.2%
	\$50,000-\$74,999	95.0%	5.0%
	\$75,000-\$99,999	99.2%	0.8%
	\$100,000+	100.0%	0.0%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>heart trouble or angina</i> ?			
	Total	No	Yes
Unweighted Count	437	379	58
	100.0%	92.7%	7.3%
		Heart trouble or angina	
		No	Yes
Sex	Male	92.2%	7.8%
	Female	93.2%	6.8%
Age Groups	18-34	98.9%	1.1%
	35-44	94.2%	5.8%
	45-54	87.9%	12.1%
	55-64	87.9%	12.1%
	65-74	85.1%	14.9%
	75+	77.7%	22.3%
Education	High school/GED or less	87.6%	12.4%
	Some college/vocational school or Assoc Deg	92.1%	7.9%
	College graduate	96.3%	3.7%
	Graduate school or beyond	91.4%	8.6%
Income	<\$20,000	94.9%	5.1%
	\$20,000-\$34,999	84.2%	15.8%
	\$35,000-\$49,999	97.1%	2.9%
	\$50,000-\$74,999	88.7%	11.3%
	\$75,000-\$99,999	96.8%	3.2%
	\$100,000+	92.3%	7.7%

Have you ever been told by a doctor, nurse, or other health professional that you had a **stroke or stroke-related health problems?**

	Total	No	Yes
Unweighted Count	437	415	22
	100.0%	95.5%	4.5%
		Stroke or stroke-related health problems	
		No	Yes
Sex	Male	92.8%	7.2%
	Female	98.2%	1.8%
Age Groups	18-34	95.7%	4.3%
	35-44	97.7%	2.3%
	45-54	95.8%	4.2%
	55-64	95.0%	5.0%
	65-74	94.3%	5.7%
	75+	92.7%	7.3%
Education	High school/GED or less	87.3%	12.7%
	Some college/vocational school or Assoc Deg	96.6%	3.4%
	College graduate	99.0%	1.0%
	Graduate school or beyond	95.0%	5.0%
Income	<\$20,000	91.4%	8.6%
	\$20,000-\$34,999	93.7%	6.3%
	\$35,000-\$49,999	98.9%	1.1%
	\$50,000-\$74,999	97.6%	2.4%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	96.4%	3.6%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>high cholesterol or triglycerides</i> ?			
	Total	No	Yes
Unweighted Count	437	264	173
	100.0%	77.8%	22.2%
		High cholesterol or triglycerides	
		No	Yes
Sex	Male	79.0%	21.0%
	Female	76.6%	23.4%
Age Groups	18-34	96.7%	3.3%
	35-44	81.9%	18.1%
	45-54	76.3%	23.7%
	55-64	49.7%	50.3%
	65-74	40.6%	59.4%
	75+	47.9%	52.1%
Education	High school/GED or less	68.4%	31.6%
	Some college/vocational school or Assoc Deg	63.5%	36.5%
	College graduate	88.4%	11.6%
	Graduate school or beyond	86.4%	13.6%
Income	<\$20,000	88.0%	12.0%
	\$20,000-\$34,999	63.4%	36.6%
	\$35,000-\$49,999	76.0%	24.0%
	\$50,000-\$74,999	66.4%	33.6%
	\$75,000-\$99,999	73.0%	27.0%
	\$100,000+	85.2%	14.8%

Have you ever been told by a doctor, nurse, or other health professional that you had <u>depression</u> ?			
	Total	No	Yes
Unweighted Count	437	330	107
	100.0%	66.2%	33.8%
		Depression	
		No	Yes
Sex	Male	66.2%	33.8%
	Female	66.2%	33.8%
Age Groups	18-34	57.2%	42.8%
	35-44	67.8%	32.2%
	45-54	65.9%	34.1%
	55-64	79.2%	20.8%
	65-74	78.6%	21.4%
	75+	82.5%	17.5%
Education	High school/GED or less	56.9%	43.1%
	Some college/vocational school or Assoc Deg	68.3%	31.7%
	College graduate	61.1%	38.9%
	Graduate school or beyond	82.5%	17.5%
Income	<\$20,000	35.2%	64.8%
	\$20,000-\$34,999	80.1%	19.9%
	\$35,000-\$49,999	68.2%	31.8%
	\$50,000-\$74,999	70.9%	29.1%
	\$75,000-\$99,999	73.4%	26.6%
	\$100,000+	89.7%	10.3%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>panic attacks</i> ?			
	Total	No	Yes
Unweighted Count	437	350	87
	100.0%	67.5%	32.5%
		Panic Attacks	
		No	Yes
Sex	Male	60.2%	39.8%
	Female	74.8%	25.2%
Age Groups	18-34	53.0%	47.0%
	35-44	69.2%	30.8%
	45-54	72.1%	27.9%
	55-64	89.2%	10.8%
	65-74	83.2%	16.8%
	75+	89.2%	10.8%
Education	High school/GED or less	59.6%	40.4%
	Some college/vocational school or Assoc Deg	76.7%	23.3%
	College graduate	55.4%	44.6%
	Graduate school or beyond	87.3%	12.7%
Income	<\$20,000	38.9%	61.1%
	\$20,000-\$34,999	87.1%	12.9%
	\$35,000-\$49,999	49.5%	50.5%
	\$50,000-\$74,999	87.8%	12.2%
	\$75,000-\$99,999	73.2%	26.8%
	\$100,000+	86.9%	13.1%

Have you ever been told by a doctor, nurse, or other health professional that you had ***memory loss, Alzheimer's disease or another form of dementia?***

	Total	No	Yes
Unweighted Count	437	419	18
	100.0%	97.6%	2.4%
		Memory Loss	
		No	Yes
Sex	Male	96.6%	3.4%
	Female	98.5%	1.5%
Age Groups	18-34	100.0%	0.0%
	35-44	92.1%	7.9%
	45-54	100.0%	0.0%
	55-64	95.8%	4.2%
	65-74	96.6%	3.4%
	75+	91.3%	8.7%
Education	High school/GED or less	92.8%	7.2%
	Some college/vocational school or Assoc Deg	96.8%	3.2%
	College graduate	100.0%	0.0%
	Graduate school or beyond	98.3%	1.7%
Income	<\$20,000	96.7%	3.3%
	\$20,000-\$34,999	93.3%	6.7%
	\$35,000-\$49,999	95.7%	4.3%
	\$50,000-\$74,999	99.2%	0.8%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Have you ever been told by a doctor, nurse, or other health professional that you had <u>other mental health problems?</u>			
	Total	No	Yes
Unweighted Count	437	400	37
	100.0%	78.0%	22.0%
		Other mental health problems	
		No	Yes
Sex	Male	66.4%	33.6%
	Female	89.5%	10.5%
Age Groups	18-34	62.9%	37.1%
	35-44	84.6%	15.4%
	45-54	87.5%	12.5%
	55-64	93.6%	6.4%
	65-74	95.4%	4.6%
	75+	95.0%	5.0%
Education	High school/GED or less	64.1%	35.9%
	Some college/vocational school or Assoc Deg	89.7%	10.3%
	College graduate	75.4%	24.6%
	Graduate school or beyond	79.7%	20.3%
Income	<\$20,000	45.1%	54.9%
	\$20,000-\$34,999	72.2%	27.8%
	\$35,000-\$49,999	90.6%	9.4%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	87.4%	12.6%
	\$100,000+	96.2%	3.8%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>obesity</i> ?			
	Total	No	Yes
Unweighted Count	437	358	79
	100.0%	86.6%	13.4%
		Obesity	
		No	Yes
Sex	Male	94.0%	6.0%
	Female	79.2%	20.8%
Age Groups	18-34	91.1%	8.9%
	35-44	80.5%	19.5%
	45-54	87.5%	12.5%
	55-64	79.0%	21.0%
	65-74	78.0%	22.0%
	75+	89.8%	10.2%
Education	High school/GED or less	93.0%	7.0%
	Some college/vocational school or Assoc Deg	74.7%	25.3%
	College graduate	90.9%	9.1%
	Graduate school or beyond	88.2%	11.8%
Income	<\$20,000	87.3%	12.7%
	\$20,000-\$34,999	91.7%	8.3%
	\$35,000-\$49,999	78.9%	21.1%
	\$50,000-\$74,999	86.2%	13.8%
	\$75,000-\$99,999	88.3%	11.7%
	\$100,000+	85.4%	14.6%

Have you ever been told by a doctor, nurse, or other health professional that you had <i>asthma</i> ?			
	Total	No	Yes
Unweighted Count	437	387	50
	100.0%	86.1%	13.9%
		Asthma	
		No	Yes
Sex	Male	87.4%	12.6%
	Female	84.8%	15.2%
Age Groups	18-34	84.1%	15.9%
	35-44	79.7%	20.3%
	45-54	89.2%	10.8%
	55-64	93.0%	7.0%
	65-74	87.2%	12.8%
	75+	89.9%	10.1%
Education	High school/GED or less	90.1%	9.9%
	Some college/vocational school or Assoc Deg	84.4%	15.6%
	College graduate	80.1%	19.9%
	Graduate school or beyond	97.0%	3.0%
Income	<\$20,000	70.2%	29.8%
	\$20,000-\$34,999	89.7%	10.3%
	\$35,000-\$49,999	88.1%	11.9%
	\$50,000-\$74,999	93.0%	7.0%
	\$75,000-\$99,999	93.7%	6.3%
	\$100,000+	93.5%	6.5%

What kind of place do you usually go to when you are sick or need advice about your health?		
	Not Checked	Checked
A doctor's office	180	260
A clinic	275	165
Some other health center	439	1
Express Care or Minute Clinic	430	10
An emergency room	416	24
An urgent care clinic	344	96
Call a Nurseline	418	22
Visit an online or "virtual" clinic	436	4
No usual place	435	5
Some other place	432	8

Q3.

Care Access and Utilization

What kind of place do you usually go to when you are sick or in need of advice about your health?

A Doctor's Office

	Total	Not Checked	Checked
Unweighted Count	440	180	260
	100.0%	50.6%	49.4%
Usual place for care: A doctor's office			
		Not Checked	Checked
Sex	Male	57.1%	42.9%
	Female	44.1%	55.9%
Age Groups	18-34	62.5%	37.5%
	35-44	58.7%	41.3%
	45-54	34.6%	65.4%
	55-64	42.7%	57.3%
	65-74	30.9%	69.1%
	75+	29.2%	70.8%
Education	High school/GED or less	60.7%	39.3%
	Some college/vocational school or Assoc Deg	43.9%	56.1%
	College graduate	47.7%	52.3%
	Graduate school or beyond	56.3%	43.7%
Income	<\$20,000	61.3%	38.7%
	\$20,000-\$34,999	57.4%	42.6%
	\$35,000-\$49,999	50.2%	49.8%
	\$50,000-\$74,999	29.6%	70.4%
	\$75,000-\$99,999	50.7%	49.3%
	\$100,000+	47.0%	53.0%

What kind of place do you usually go to when you are sick or in need of advice about your health?

A clinic

	Total	Not Checked	Checked
Unweighted Count	440	275	165
	100.0%	56.8%	43.2%
		Usual place for care: A clinic	
		Not Checked	Checked
Sex	Male	53.1%	46.9%
	Female	60.5%	39.5%
Age Groups	18-34	48.9%	51.1%
	35-44	66.6%	33.4%
	45-54	55.8%	44.2%
	55-64	64.1%	35.9%
	65-74	65.1%	34.9%
	75+	67.9%	32.1%
Education	High school/GED or less	38.1%	61.9%
	Some college/vocational school or Assoc Deg	59.5%	40.5%
	College graduate	63.2%	36.8%
	Graduate school or beyond	59.8%	40.2%
Income	<\$20,000	36.6%	63.4%
	\$20,000-\$34,999	50.6%	49.4%
	\$35,000-\$49,999	70.7%	29.3%
	\$50,000-\$74,999	71.6%	28.4%
	\$75,000-\$99,999	70.7%	29.3%
	\$100,000+	60.8%	39.2%

Q3.

Care Access and Utilization

What kind of place do you usually go to when you are sick or in need of advice about your health?			
<u>Some other health center</u>			
	Total	Not Checked	Checked
Unweighted Count	440	439	1
	100.0%	96.1%	3.9%
		Usual place for care: Some other health center	
		Not Checked	Checked
Sex	Male	92.2%	7.8%
	Female	100.0%	0.0%
Age Groups	18-34	91.3%	8.7%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	100.0%	0.0%
	College graduate	89.5%	10.5%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	85.4%	14.6%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

What kind of place do you usually go to when you are sick or in need of advice about your health? <i><u>Express Care or Minute Clinic</u></i>			
	Total	Not Checked	Checked
Unweighted Count	440	430	10
	100.0%	92.3%	7.7%
		Usual place for care: Express Care or Minute Clinic	
		Not Checked	Checked
Sex	Male	86.4%	13.6%
	Female	98.1%	1.9%
Age Groups	18-34	85.9%	14.1%
	35-44	94.7%	5.3%
	45-54	100.0%	0.0%
	55-64	95.6%	4.4%
	65-74	100.0%	0.0%
	75+	98.6%	1.4%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	96.5%	3.5%
	College graduate	82.3%	17.7%
	Graduate school or beyond	98.8%	1.2%
Income	<\$20,000	84.2%	15.8%
	\$20,000-\$34,999	99.1%	0.9%
	\$35,000-\$49,999	95.9%	4.1%
	\$50,000-\$74,999	98.2%	1.8%
	\$75,000-\$99,999	81.2%	18.8%
	\$100,000+	100.0%	0.0%

Q3.

Care Access and Utilization

What kind of place do you usually go to when you are sick or in need of advice about your health?			
<u>An emergency room</u>			
	Total	Not Checked	Checked
Unweighted Count	440	416	24
	100.0%	97.4%	2.6%
		Usual place for care: Emergency room	
		Not Checked	Checked
Sex	Male	97.3%	2.7%
	Female	97.6%	2.4%
Age Groups	18-34	99.4%	0.6%
	35-44	95.9%	4.1%
	45-54	100.0%	0.0%
	55-64	95.8%	4.2%
	65-74	96.6%	3.4%
	75+	87.1%	12.9%
Education	High school/GED or less	91.0%	9.0%
	Some college/vocational school or Assoc Deg	97.5%	2.5%
	College graduate	99.9%	0.1%
	Graduate school or beyond	98.9%	1.1%
Income	<\$20,000	97.9%	2.1%
	\$20,000-\$34,999	94.7%	5.3%
	\$35,000-\$49,999	98.5%	1.5%
	\$50,000-\$74,999	95.7%	4.3%
	\$75,000-\$99,999	99.2%	0.8%
	\$100,000+	97.4%	2.6%

What kind of place do you usually go to when you are sick or in need of advice about your health?

An urgent care clinic

	Total	Not Checked	Checked
Unweighted Count	440	344	96
	100.0%	75.3%	24.7%
		Usual place for care: Urgent care clinic	
		Not Checked	Checked
Sex	Male	80.9%	19.1%
	Female	69.6%	30.4%
Age Groups	18-34	75.2%	24.8%
	35-44	64.3%	35.7%
	45-54	70.5%	29.5%
	55-64	79.5%	20.5%
	65-74	89.1%	10.9%
	75+	81.4%	18.6%
Education	High school/GED or less	69.4%	30.6%
	Some college/vocational school or Assoc Deg	75.1%	24.9%
	College graduate	71.6%	28.4%
	Graduate school or beyond	88.8%	11.2%
Income	<\$20,000	67.2%	32.8%
	\$20,000-\$34,999	72.0%	28.0%
	\$35,000-\$49,999	82.8%	17.2%
	\$50,000-\$74,999	78.4%	21.6%
	\$75,000-\$99,999	81.5%	18.5%
	\$100,000+	77.4%	22.6%

Q3.

Care Access and Utilization

What kind of place do you usually go to when you are sick or in need of advice about your health? <i>Call a Nurseline</i>			
	Total	Not Checked	Checked
Unweighted Count	440	418	22
	100.0%	95.5%	4.5%
		Usual place for care: Call a Nurseline	
		Not Checked	Checked
Sex	Male	98.8%	1.2%
	Female	92.2%	7.8%
Age Groups	18-34	95.0%	5.0%
	35-44	97.5%	2.5%
	45-54	93.3%	6.7%
	55-64	97.2%	2.8%
	65-74	97.7%	2.3%
	75+	94.2%	5.8%
Education	High school/GED or less	97.2%	2.8%
	Some college/vocational school or Assoc Deg	95.8%	4.2%
	College graduate	93.9%	6.1%
	Graduate school or beyond	96.5%	3.5%
Income	<\$20,000	94.6%	5.4%
	\$20,000-\$34,999	94.8%	5.2%
	\$35,000-\$49,999	95.6%	4.4%
	\$50,000-\$74,999	98.5%	1.5%
	\$75,000-\$99,999	89.8%	10.2%
	\$100,000+	100.0%	0.0%

What kind of place do you usually go to when you are sick or in need of advice about your health?

Visit an online or “virtual” clinic

	Total	Not Checked	Checked
Unweighted Count	440	436	4
	100.0%	97.1%	2.9%
		Usual place for care: Online or virtual clinic	
		Not Checked	Checked
Sex	Male	96.1%	3.9%
	Female	98.1%	1.9%
Age Groups	18-34	94.0%	6.0%
	35-44	99.2%	0.8%
	45-54	100.0%	0.0%
	55-64	99.2%	0.8%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	99.6%	0.4%
	College graduate	92.4%	7.6%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	97.2%	2.8%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	84.1%	15.9%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	98.5%	1.5%
	\$100,000+	100.0%	0.0%

Q3.

Care Access and Utilization

What kind of place do you usually go to when you are sick or in need of advice about your health?			
<i>No usual place</i>			
	Total	Not Checked	Checked
Unweighted Count	440	435	5
	100.0%	99.2%	0.8%
		Usual place for care: No usual place	
		Not Checked	Checked
Sex	Male	98.4%	1.6%
	Female	99.9%	0.1%
Age Groups	18-34	100.0%	0.0%
	35-44	95.9%	4.1%
	45-54	100.0%	0.0%
	55-64	98.3%	1.7%
	65-74	99.4%	0.6%
	75+	99.3%	0.7%
Education	High school/GED or less	98.5%	1.5%
	Some college/vocational school or Assoc Deg	97.8%	2.2%
	College graduate	100.0%	0.0%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	99.2%	0.8%
	\$20,000-\$34,999	99.7%	0.3%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	98.2%	1.8%
	\$75,000-\$99,999	97.6%	2.4%
	\$100,000+	100.0%	0.0%

What kind of place do you usually go to when you are sick or in need of advice about your health?			
<u>Some other place</u>			
	Total	Not Checked	Checked
Unweighted Count	440	432	8
	100.0%	97.2%	2.8%
		Usual place for care: Some other place	
		Not Checked	Checked
Sex	Male	99.8%	0.2%
	Female	94.5%	5.5%
Age Groups	18-34	95.0%	5.0%
	35-44	97.5%	2.5%
	45-54	100.0%	0.0%
	55-64	98.8%	1.2%
	65-74	98.9%	1.1%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	100.0%	0.0%
	College graduate	97.6%	2.4%
	Graduate school or beyond	89.0%	11.0%
Income	<\$20,000	97.2%	2.8%
	\$20,000-\$34,999	94.0%	6.0%
	\$35,000-\$49,999	97.5%	2.5%
	\$50,000-\$74,999	99.3%	0.7%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	95.3%	4.7%

Q4.

Care Access and Utilization

During the ***past 12 months***, was there a time when you thought you needed ***medical care*** but did not get it or delayed getting it?

	Total	Yes	No
Unweighted Count	412	93	319
	100.0%	28.6%	71.4%
		Medical care delay in past 12 months	
		Yes	No
Sex	Male	27.0%	73.0%
	Female	30.1%	69.9%
Age Groups	18-34	34.1%	65.9%
	35-44	32.5%	67.5%
	45-54	25.4%	74.6%
	55-64	24.9%	75.1%
	65-74	14.5%	85.5%
	75+	16.7%	83.3%
Education	High school/GED or less	25.5%	74.5%
	Some college/vocational school or Assoc Deg	25.8%	74.2%
	College graduate	32.0%	68.0%
	Graduate school or beyond	29.2%	70.8%
Income	<\$20,000	37.1%	62.9%
	\$20,000-\$34,999	27.3%	72.7%
	\$35,000-\$49,999	32.0%	68.0%
	\$50,000-\$74,999	19.7%	80.3%
	\$75,000-\$99,999	24.2%	75.8%
	\$100,000+	25.8%	74.2%

Why did you not get or delay getting the medical care you thought you needed? (mark all that apply)

	Not Checked	Checked
I could not get an appointment	77	16
I did not think it was serious enough	39	54
I had transportation problems	88	5
It cost too much	66	27
I do not have insurance	89	4
My insurance did not cover it	83	10
Other reason	83	10

Q5.

Care Access and Utilization

Why did you not get or delay getting the medical care you thought you needed?			
<i><u>I could not get appointment.</u></i>			
	Total	Not checked	Checked
Unweighted Count	93	77	16
	100.0%	83.6%	16.4%
		I could not get appointment	
		Not checked	Checked
Sex	Male	85.8%	14.2%
	Female	81.7%	18.3%
Age Groups	18-34	82.4%	17.6%
	35-44	80.5%	19.5%
	45-54	85.3%	14.7%
	55-64	96.6%	3.4%
	65-74	83.3%	16.7%
	75+	66.9%	33.1%
Education	High school/GED or less	82.7%	17.3%
	Some college/vocational school or Assoc Deg	84.9%	15.1%
	College graduate	94.4%	5.6%
	Graduate school or beyond	57.4%	42.6%
Income	<\$20,000	83.0%	17.0%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	95.6%	4.4%
	\$50,000-\$74,999	94.5%	5.5%
	\$75,000-\$99,999	75.8%	24.2%
	\$100,000+	63.3%	36.7%

Why did you not get or delay getting the medical care you thought you needed? <i><u>I did not think it was serious enough.</u></i>			
	Total	Not checked	Checked
Unweighted Count	93	39	54
	100.0%	41.0%	59.0%
		I did not think it was serious enough	
		Not checked	Checked
Sex	Male	44.4%	55.6%
	Female	38.1%	61.9%
Age Groups	18-34	41.9%	58.1%
	35-44	30.9%	69.1%
	45-54	47.5%	52.5%
	55-64	37.9%	62.1%
	65-74	50.1%	49.9%
	75+	42.6%	57.4%
Education	High school/GED or less	33.7%	66.3%
	Some college/vocational school or Assoc Deg	39.1%	60.9%
	College graduate	52.4%	47.6%
	Graduate school or beyond	22.7%	77.3%
Income	<\$20,000	48.2%	51.8%
	\$20,000-\$34,999	32.8%	67.2%
	\$35,000-\$49,999	30.1%	69.9%
	\$50,000-\$74,999	27.0%	73.0%
	\$75,000-\$99,999	40.4%	59.6%
	\$100,000+	48.5%	51.5%

Q5.

Care Access and Utilization

Why did you not get or delay getting the medical care you thought you needed? <i><u>I had transportation problems.</u></i>			
	Total	Not checked	Checked
Unweighted Count	93	88	5
	100.0%	97.9%	2.1%
		I had transportation problems	
		Not checked	Checked
Sex	Male	99.7%	0.3%
	Female	96.3%	3.7%
Age Groups	18-34	98.2%	1.8%
	35-44	100.0%	0.0%
	45-54	95.1%	4.9%
	55-64	96.6%	3.4%
	65-74	95.9%	4.1%
	75+	100.0%	0.0%
Education	High school/GED or less	97.7%	2.3%
	Some college/vocational school or Assoc Deg	96.4%	3.6%
	College graduate	100.0%	0.0%
	Graduate school or beyond	94.9%	5.1%
Income	<\$20,000	94.1%	5.9%
	\$20,000-\$34,999	98.7%	1.3%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the medical care you thought you needed? <i><u>It cost too much.</u></i>			
	Total	Not checked	Checked
Unweighted Count	93	66	27
	100.0%	73.6%	26.4%
		It cost too much	
		Not checked	Checked
Sex	Male	74.8%	25.2%
	Female	72.7%	27.3%
Age Groups	18-34	86.0%	14.0%
	35-44	46.8%	53.2%
	45-54	52.5%	47.5%
	55-64	59.2%	40.8%
	65-74	87.4%	12.6%
	75+	100.0%	0.0%
Education	High school/GED or less	60.4%	39.6%
	Some college/vocational school or Assoc Deg	59.2%	40.8%
	College graduate	87.8%	12.2%
	Graduate school or beyond	69.9%	30.1%
Income	<\$20,000	80.8%	19.2%
	\$20,000-\$34,999	62.7%	37.3%
	\$35,000-\$49,999	74.0%	26.0%
	\$50,000-\$74,999	83.4%	16.6%
	\$75,000-\$99,999	80.2%	19.8%
	\$100,000+	57.5%	42.5%

Q5.

Care Access and Utilization

Why did you not get or delay getting the medical care you thought you needed?			
<i><u>I do not have insurance.</u></i>			
	Total	Not checked	Checked
Unweighted Count	93	89	4
	100.0%	80.7%	19.3%
		I do not have insurance	
		Not checked	Checked
Sex	Male	64.0%	36.0%
	Female	94.9%	5.1%
Age Groups	18-34	72.3%	27.7%
	35-44	66.3%	33.7%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	69.8%	30.2%
	Some college/vocational school or Assoc Deg	100.0%	0.0%
	College graduate	65.9%	34.1%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	56.6%	43.4%
	\$20,000-\$34,999	78.1%	21.9%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	89.5%	10.5%

Why did you not get or delay getting the medical care you thought you needed?			
<u>My insurance did not cover it.</u>			
	Total	Not checked	Checked
Unweighted Count	93	83	10
	100.0%	92.0%	8.0%
		My insurance did not cover it	
		Not checked	Checked
Sex	Male	94.0%	6.0%
	Female	90.4%	9.6%
Age Groups	18-34	96.4%	3.6%
	35-44	74.8%	25.2%
	45-54	100.0%	0.0%
	55-64	80.9%	19.1%
	65-74	91.6%	8.4%
	75+	100.0%	0.0%
Education	High school/GED or less	82.0%	18.0%
	Some college/vocational school or Assoc Deg	92.3%	7.7%
	College graduate	92.1%	7.9%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	98.2%	1.8%
	\$20,000-\$34,999	88.8%	11.2%
	\$35,000-\$49,999	81.6%	18.4%
	\$50,000-\$74,999	97.8%	2.2%
	\$75,000-\$99,999	96.4%	3.6%
	\$100,000+	85.1%	14.9%

Q5.

Care Access and Utilization

Why did you not get or delay getting the medical care you thought you needed? <i>Other reason.</i>			
	Total	Not checked	Checked
Unweighted Count	93	83	10
	100.0%	95.2%	4.8%
		Other reason	
		Not checked	Checked
Sex	Male	98.7%	1.3%
	Female	92.1%	7.9%
Age Groups	18-34	96.4%	3.6%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	87.9%	12.1%
	65-74	66.5%	33.5%
	75+	95.2%	4.8%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	93.2%	6.8%
	College graduate	92.4%	7.6%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	99.5%	0.5%
	\$20,000-\$34,999	94.4%	5.6%
	\$35,000-\$49,999	97.2%	2.8%
	\$50,000-\$74,999	92.8%	7.2%
	\$75,000-\$99,999	97.0%	3.0%
	\$100,000+	87.4%	12.6%

During the ***past 12 months***, was there a time when you thought you needed ***dental care*** but did not get it or delayed getting it?

	Total	Yes	No
Unweighted Count	420	81	339
	100.0%	28.1%	71.9%
		Dental care delay in past 12 months	
		Yes	No
Sex	Male	33.2%	66.8%
	Female	23.5%	76.5%
Age Groups	18-34	38.0%	62.0%
	35-44	26.7%	73.3%
	45-54	19.1%	80.9%
	55-64	24.3%	75.7%
	65-74	9.7%	90.3%
	75+	14.5%	85.5%
Education	High school/GED or less	42.7%	57.3%
	Some college/vocational school or Assoc Deg	32.2%	67.8%
	College graduate	25.4%	74.6%
	Graduate school or beyond	15.5%	84.5%
Income	<\$20,000	49.5%	50.5%
	\$20,000-\$34,999	42.3%	57.7%
	\$35,000-\$49,999	39.2%	60.8%
	\$50,000-\$74,999	13.3%	86.7%
	\$75,000-\$99,999	10.0%	90.0%
	\$100,000+	7.2%	92.8%

Q7.**Care Access and Utilization**

Why did you not get or delay getting all the dental care you thought you needed? (mark all that apply)

	Not Checked	Checked
I could not get an appointment	73	8
I did not think it was serious enough	61	20
I had transportation problems	78	3
I was too nervous or afraid	66	15
It cost too much	38	43
I do not have insurance	63	18
The dentist wouldn't accept my insurance	69	12
I didn't know where to go	72	9
Other reason	76	5

Why did you not get or delay getting the dental care you thought you needed? <i><u>I could not get appointment.</u></i>			
	Total	Not checked	Checked
Unweighted Count	81	73	8
	100.0%	89.0%	11.0%
		I could not get appointment	
		Not checked	Checked
Sex	Male	89.6%	10.4%
	Female	88.1%	11.9%
Age Groups	18-34	87.6%	12.4%
	35-44	93.4%	6.6%
	45-54	100.0%	0.0%
	55-64	76.7%	23.3%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	96.6%	3.4%
	Some college/vocational school or Assoc Deg	79.7%	20.3%
	College graduate	100.0%	0.0%
	Graduate school or beyond	59.0%	41.0%
Income	<\$20,000	86.6%	13.4%
	\$20,000-\$34,999	85.9%	14.1%
	\$35,000-\$49,999	88.2%	11.8%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q7.

Care Access and Utilization

Why did you not get or delay getting the dental care you thought you needed?			
<i>I did not think it was serious enough.</i>			
	Total	Not checked	Checked
Unweighted Count	81	61	20
	100.0%	83.9%	16.1%
		I did not think it was serious enough	
		Not checked	Checked
Sex	Male	91.9%	8.1%
	Female	73.5%	26.5%
Age Groups	18-34	89.0%	11.0%
	35-44	74.1%	25.9%
	45-54	72.7%	27.3%
	55-64	83.7%	16.3%
	65-74	75.0%	25.0%
	75+	68.7%	31.3%
Education	High school/GED or less	88.9%	11.1%
	Some college/vocational school or Assoc Deg	77.6%	22.4%
	College graduate	92.7%	7.3%
	Graduate school or beyond	59.9%	40.1%
Income	<\$20,000	92.1%	7.9%
	\$20,000-\$34,999	77.8%	22.2%
	\$35,000-\$49,999	88.3%	11.7%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	84.1%	15.9%
	\$100,000+	0.0%	100.0%

Why did you not get or delay getting the dental care you thought you needed? <i><u>I had transportation problems.</u></i>			
	Total	Not checked	Checked
Unweighted Count	81	78	3
	100.0%	98.8%	1.2%
		I had transportation problems	
		Not checked	Checked
Sex	Male	100.0%	0.0%
	Female	97.2%	2.8%
Age Groups	18-34	100.0%	0.0%
	35-44	100.0%	0.0%
	45-54	93.2%	6.8%
	55-64	96.6%	3.4%
	65-74	93.6%	6.4%
	75+	100.0%	0.0%
Education	High school/GED or less	99.4%	0.6%
	Some college/vocational school or Assoc Deg	97.9%	2.1%
	College graduate	100.0%	0.0%
	Graduate school or beyond	96.0%	4.0%
Income	<\$20,000	97.4%	2.6%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q7.

Care Access and Utilization

Why did you not get or delay getting the dental care you thought you needed? <i>I was too nervous or afraid.</i>			
	Total	Not checked	Checked
Unweighted Count	81	66	15
	100.0%	75.0%	25.0%
		I was too nervous or afraid	
		Not checked	Checked
Sex	Male	74.0%	26.0%
	Female	76.4%	23.6%
Age Groups	18-34	67.8%	32.2%
	35-44	80.2%	19.8%
	45-54	79.6%	20.4%
	55-64	95.0%	5.0%
	65-74	74.6%	25.4%
	75+	100.0%	0.0%
Education	High school/GED or less	38.7%	61.3%
	Some college/vocational school or Assoc Deg	79.0%	21.0%
	College graduate	94.5%	5.5%
	Graduate school or beyond	90.5%	9.5%
Income	<\$20,000	59.0%	41.0%
	\$20,000-\$34,999	94.0%	6.0%
	\$35,000-\$49,999	85.0%	15.0%
	\$50,000-\$74,999	76.3%	23.7%
	\$75,000-\$99,999	83.4%	16.6%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the dental care you thought you needed? <i>It cost too much.</i>			
	Total	Not checked	Checked
Unweighted Count	81	38	43
	100.0%	50.1%	49.9%
		It cost too much	
		Not checked	Checked
Sex	Male	49.9%	50.1%
	Female	50.4%	49.6%
Age Groups	18-34	53.8%	46.2%
	35-44	42.9%	57.1%
	45-54	40.9%	59.1%
	55-64	54.0%	46.0%
	65-74	25.0%	75.0%
	75+	41.8%	58.2%
Education	High school/GED or less	73.9%	26.1%
	Some college/vocational school or Assoc Deg	50.6%	49.4%
	College graduate	30.7%	69.3%
	Graduate school or beyond	53.6%	46.4%
Income	<\$20,000	50.7%	49.3%
	\$20,000-\$34,999	57.2%	42.8%
	\$35,000-\$49,999	56.5%	43.5%
	\$50,000-\$74,999	17.1%	82.9%
	\$75,000-\$99,999	24.1%	75.9%
	\$100,000+	62.0%	38.0%

Q7.

Care Access and Utilization

Why did you not get or delay getting the dental care you thought you needed? <i><u>I do not have insurance.</u></i>			
	Total	Not checked	Checked
Unweighted Count	81	63	18
	100.0%	86.9%	13.1%
		I do not have insurance	
		Not checked	Checked
Sex	Male	95.8%	4.2%
	Female	75.2%	24.8%
Age Groups	18-34	96.9%	3.1%
	35-44	67.0%	33.0%
	45-54	65.9%	34.1%
	55-64	87.3%	12.7%
	65-74	56.4%	43.6%
	75+	63.3%	36.7%
Education	High school/GED or less	82.8%	17.2%
	Some college/vocational school or Assoc Deg	83.7%	16.3%
	College graduate	94.5%	5.5%
	Graduate school or beyond	81.0%	19.0%
Income	<\$20,000	98.3%	1.7%
	\$20,000-\$34,999	64.0%	36.0%
	\$35,000-\$49,999	79.9%	20.1%
	\$50,000-\$74,999	79.1%	20.9%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the dental care you thought you needed?			
<i>The dentist wouldn't accept my insurance.</i>			
	Total	Not checked	Checked
Unweighted Count	81	69	12
	100.0%	87.0%	13.0%
		The dentist wouldn't accept my insurance	
		Not checked	Checked
Sex	Male	91.2%	8.8%
	Female	81.6%	18.4%
Age Groups	18-34	82.9%	17.1%
	35-44	100.0%	0.0%
	45-54	93.2%	6.8%
	55-64	84.0%	16.0%
	65-74	93.6%	6.4%
	75+	100.0%	0.0%
Education	High school/GED or less	96.0%	4.0%
	Some college/vocational school or Assoc Deg	78.7%	21.3%
	College graduate	94.5%	5.5%
	Graduate school or beyond	63.1%	36.9%
Income	<\$20,000	82.3%	17.7%
	\$20,000-\$34,999	84.9%	15.1%
	\$35,000-\$49,999	89.4%	10.6%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q7.

Care Access and Utilization

Why did you not get or delay getting the dental care you thought you needed? <i>I didn't know where to go.</i>			
	Total	Not checked	Checked
Unweighted Count	81	72	9
	100.0%	83.6%	16.4%
		I didn't know where to go	
		Not checked	Checked
Sex	Male	81.0%	19.0%
	Female	87.0%	13.0%
Age Groups	18-34	78.4%	21.6%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	74.4%	25.6%
	65-74	87.7%	12.3%
	75+	100.0%	0.0%
Education	High school/GED or less	96.6%	3.4%
	Some college/vocational school or Assoc Deg	79.9%	20.1%
	College graduate	75.1%	24.9%
	Graduate school or beyond	90.5%	9.5%
Income	<\$20,000	95.9%	4.1%
	\$20,000-\$34,999	69.6%	30.4%
	\$35,000-\$49,999	58.8%	41.2%
	\$50,000-\$74,999	80.9%	19.1%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the dental care you thought you needed? <i>Other reason.</i>			
	Total	Not checked	Checked
Unweighted Count	81	76	5
	100.0%	94.9%	5.1%
		Other reason	
		Not checked	Checked
Sex	Male	99.4%	0.6%
	Female	88.9%	11.1%
Age Groups	18-34	93.7%	6.3%
	35-44	100.0%	0.0%
	45-54	93.2%	6.8%
	55-64	100.0%	0.0%
	65-74	87.7%	12.3%
	75+	89.4%	10.6%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	90.2%	9.8%
	College graduate	93.6%	6.4%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	94.5%	5.5%
	\$20,000-\$34,999	90.4%	9.6%
	\$35,000-\$49,999	97.7%	2.3%
	\$50,000-\$74,999	94.9%	5.1%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q8.

Care Access and Utilization

In the <i>past 12 months</i> , have you experienced feelings of hopelessness, anxiety or loss of interest in things you used to enjoy?			
	Total	Yes	No
Unweighted Count	411	100	311
	100.0%	38.7%	61.3%
		Feelings of mental distress	
		Yes	No
Sex	Male	49.6%	50.4%
	Female	28.2%	71.8%
Age Groups	18-34	56.2%	43.8%
	35-44	25.9%	74.1%
	45-54	35.0%	65.0%
	55-64	17.8%	82.2%
	65-74	15.0%	85.0%
	75+	24.0%	76.0%
Education	High school/GED or less	45.7%	54.3%
	Some college/vocational school or Assoc Deg	26.3%	73.7%
	College graduate	47.3%	52.7%
	Graduate school or beyond	33.4%	66.6%
Income	<\$20,000	75.2%	24.8%
	\$20,000-\$34,999	23.7%	76.3%
	\$35,000-\$49,999	32.4%	67.6%
	\$50,000-\$74,999	12.3%	87.7%
	\$75,000-\$99,999	48.8%	51.2%
	\$100,000+	17.7%	82.3%

During the ***past 12 months***, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

	Total	Yes	No
Unweighted Count	405	50	355
	100.0%	29.1%	70.9%
Mental health care delay in past 12 months			
		Yes	No
Sex	Male	45.0%	55.0%
	Female	13.8%	86.2%
Age Groups	18-34	48.4%	51.6%
	35-44	21.4%	78.6%
	45-54	17.5%	82.5%
	55-64	11.5%	88.5%
	65-74	7.4%	92.6%
	75+	2.5%	97.5%
Education	High school/GED or less	33.3%	66.7%
	Some college/vocational school or Assoc Deg	15.0%	85.0%
	College graduate	40.1%	59.9%
	Graduate school or beyond	22.1%	77.9%
Income	<\$20,000	64.3%	35.7%
	\$20,000-\$34,999	6.1%	93.9%
	\$35,000-\$49,999	29.6%	70.4%
	\$50,000-\$74,999	7.3%	92.7%
	\$75,000-\$99,999	27.1%	72.9%
	\$100,000+	14.7%	85.3%

Q10.

Care Access and Utilization

Why did you not get or delay getting the care you thought you needed? (mark all that apply)

	Not Checked	Checked
I could not get an appointment	47	3
I did not think it was serious enough	25	25
I had transportation problems	47	3
I was too nervous or afraid	38	12
It costs too much	40	10
I do not have insurance	47	3
My insurance did not cover it	44	6
I did not know where to go	44	6
Other reason	39	11

Why did you not get or delay getting the care you thought you needed? <i><u>I could not get an appointment.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	47	3
	100.0%	98.6%	1.4%
		I could not get an appointment	
		Not Checked	Checked
Sex	Male	100.0%	0.0%
	Female	94.1%	5.9%
Age Groups	18-34	100.0%	0.0%
	35-44	100.0%	0.0%
	45-54	92.9%	7.1%
	55-64	85.8%	14.2%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	95.3%	4.7%
	College graduate	99.2%	0.8%
	Graduate school or beyond	97.2%	2.8%
Income	<\$20,000	98.6%	1.4%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	94.9%	5.1%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q10.

Care Access and Utilization

Why did you not get or delay getting the care you thought you needed? <i><u>I did not think it was serious enough.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	25	25
	100.0%	51.6%	48.4%
		I did not think it was serious enough	
		Not Checked	Checked
Sex	Male	48.6%	51.4%
	Female	61.3%	38.7%
Age Groups	18-34	53.7%	46.3%
	35-44	50.3%	49.7%
	45-54	28.4%	71.6%
	55-64	75.1%	24.9%
	65-74	24.9%	75.1%
	75+	32.7%	67.3%
Education	High school/GED or less	95.9%	4.1%
	Some college/vocational school or Assoc Deg	68.5%	31.5%
	College graduate	38.5%	61.5%
	Graduate school or beyond	28.5%	71.5%
Income	<\$20,000	65.0%	35.0%
	\$20,000-\$34,999	47.9%	52.1%
	\$35,000-\$49,999	36.4%	63.6%
	\$50,000-\$74,999	85.6%	14.4%
	\$75,000-\$99,999	16.1%	83.9%
	\$100,000+	30.7%	69.3%

Why did you not get or delay getting the care you thought you needed?			
<i><u>I had transportation problems.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	47	3
	100.0%	98.0%	2.0%
		I had transportation problems	
		Not Checked	Checked
Sex	Male	100.0%	0.0%
	Female	91.9%	8.1%
Age Groups	18-34	98.8%	1.2%
	35-44	100.0%	0.0%
	45-54	92.9%	7.1%
	55-64	92.9%	7.1%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	95.3%	4.7%
	College graduate	100.0%	0.0%
	Graduate school or beyond	97.2%	2.8%
Income	<\$20,000	96.6%	3.4%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Q10.

Care Access and Utilization

Why did you not get or delay getting the care you thought you needed? <i>I was too nervous or afraid.</i>			
	Total	Not Checked	Checked
Unweighted Count	50	38	12
	100.0%	88.5%	11.5%
		I was too nervous or afraid	
		Not Checked	Checked
Sex	Male	90.4%	9.6%
	Female	82.4%	17.6%
Age Groups	18-34	93.9%	6.1%
	35-44	62.1%	37.9%
	45-54	85.8%	14.2%
	55-64	70.2%	29.8%
	65-74	58.2%	41.8%
	75+	100.0%	0.0%
Education	High school/GED or less	91.3%	8.7%
	Some college/vocational school or Assoc Deg	78.3%	21.7%
	College graduate	88.5%	11.5%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	96.9%	3.1%
	\$20,000-\$34,999	52.1%	47.9%
	\$35,000-\$49,999	71.1%	28.9%
	\$50,000-\$74,999	88.1%	11.9%
	\$75,000-\$99,999	77.4%	22.6%
	\$100,000+	84.5%	15.5%

Why did you not get or delay getting the care you thought you needed? <i><u>It cost too much.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	40	10
	100.0%	84.8%	15.2%
		It cost too much	
		Not Checked	Checked
Sex	Male	87.2%	12.8%
	Female	77.2%	22.8%
Age Groups	18-34	86.5%	13.5%
	35-44	44.1%	55.9%
	45-54	100.0%	0.0%
	55-64	92.9%	7.1%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	95.9%	4.1%
	Some college/vocational school or Assoc Deg	90.7%	9.3%
	College graduate	85.9%	14.1%
	Graduate school or beyond	65.3%	34.7%
Income	<\$20,000	92.2%	7.8%
	\$20,000-\$34,999	70.3%	29.7%
	\$35,000-\$49,999	56.3%	43.7%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	77.3%	22.7%
	\$100,000+	84.8%	15.2%

Q10.

Care Access and Utilization

Why did you not get or delay getting the care you thought you needed? <i><u>I do not have insurance.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	47	3
	100.0%	82.9%	17.1%
		I do not have insurance	
		Not Checked	Checked
Sex	Male	81.0%	19.0%
	Female	89.1%	10.9%
Age Groups	18-34	78.1%	21.9%
	35-44	91.0%	9.0%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	86.1%	13.9%
	Some college/vocational school or Assoc Deg	100.0%	0.0%
	College graduate	72.6%	27.4%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	72.0%	28.0%
	\$20,000-\$34,999	70.3%	29.7%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the care you thought you needed?			
<u>My insurance did not cover it.</u>			
	Total	Not Checked	Checked
Unweighted Count	50	44	6
	100.0%	92.8%	7.2%
		Not covered by insurance	
		Not Checked	Checked
Sex	Male	93.6%	6.4%
	Female	90.3%	9.7%
Age Groups	18-34	95.1%	4.9%
	35-44	67.6%	32.4%
	45-54	100.0%	0.0%
	55-64	85.8%	14.2%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	97.1%	2.9%
	College graduate	96.3%	3.7%
	Graduate school or beyond	65.3%	34.7%
Income	<\$20,000	93.8%	6.2%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	88.1%	11.9%
	\$75,000-\$99,999	87.1%	12.9%
	\$100,000+	84.8%	15.2%

Q10.

Care Access and Utilization

Why did you not get or delay getting the care you thought you needed? <i><u>I did not know where to go.</u></i>			
	Total	Not Checked	Checked
Unweighted Count	50	44	6
	100.0%	64.0%	36.0%
		I did not know where to go	
		Not Checked	Checked
Sex	Male	53.8%	46.2%
	Female	96.2%	3.8%
Age Groups	18-34	55.1%	44.9%
	35-44	85.5%	14.5%
	45-54	100.0%	0.0%
	55-64	76.7%	23.3%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	23.7%	76.3%
	Some college/vocational school or Assoc Deg	90.4%	9.6%
	College graduate	72.6%	27.4%
	Graduate school or beyond	65.3%	34.7%
Income	<\$20,000	42.5%	57.5%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	89.7%	10.3%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	90.2%	9.8%
	\$100,000+	100.0%	0.0%

Why did you not get or delay getting the care you thought you needed? <i>Other reason.</i>			
	Total	Not Checked	Checked
Unweighted Count	50	39	11
	100.0%	68.2%	31.8%
		Other reason	
		Not Checked	Checked
Sex	Male	70.6%	29.4%
	Female	60.8%	39.2%
Age Groups	18-34	67.0%	33.0%
	35-44	82.1%	17.9%
	45-54	45.2%	54.8%
	55-64	85.8%	14.2%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	93.8%	6.2%
	Some college/vocational school or Assoc Deg	59.0%	41.0%
	College graduate	67.3%	32.7%
	Graduate school or beyond	44.1%	55.9%
Income	<\$20,000	59.9%	40.1%
	\$20,000-\$34,999	70.3%	29.7%
	\$35,000-\$49,999	90.6%	9.4%
	\$50,000-\$74,999	32.2%	67.8%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	58.4%	41.6%

Q11.

Care Access and Utilization

When was the last time you had...

	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
A general health exam	335	48	18	14	3
A flu shot	293	36	19	25	43
A dental exam or your teeth cleaned	317	33	32	25	1
A hearing test	78	36	70	137	78
An eye exam	266	74	39	24	5
A check for diabetes such as a fasting blood glucose test	250	50	27	19	60
Any screening for skin cancer	109	20	29	22	199
Any screening for colon cancer	75	63	86	55	124
A prostate exam	61	19	20	11	25
A pap test	96	71	31	52	13

When was the last time you had... <i>a general health exam?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	418	335	48	18	14	3
	100.0%	61.6%	22.2%	8.6%	7.3%	.3%
General health exam, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	47.6%	28.9%	9.7%	13.3%	0.6%
	Female	75.5%	15.5%	7.6%	1.4%	0.0%
Age Groups	18-34	45.7%	33.4%	11.3%	9.6%	0.0%
	35-44	63.1%	22.0%	10.7%	2.8%	1.4%
	45-54	67.0%	8.3%	12.1%	12.5%	0.0%
	55-64	75.3%	17.5%	2.5%	4.7%	0.0%
	65-74	90.8%	6.2%	0.0%	2.4%	0.6%
	75+	91.6%	5.3%	1.5%	0.8%	0.8%
Education	High school/GED or less	54.5%	16.8%	4.1%	23.1%	1.5%
	Some college/vocational school or Assoc Deg	66.9%	20.8%	10.7%	1.6%	0.0%
	College graduate	65.7%	25.8%	8.2%	0.4%	0.0%
	Graduate school or beyond	52.7%	23.3%	11.6%	12.4%	0.0%
Income	<\$20,000	40.2%	32.4%	10.2%	16.5%	0.6%
	\$20,000-\$34,999	62.9%	32.5%	4.3%	0.0%	0.3%
	\$35,000-\$49,999	70.4%	7.5%	19.6%	2.5%	0.0%
	\$50,000-\$74,999	83.1%	7.4%	2.3%	7.2%	0.0%
	\$75,000-\$99,999	67.9%	25.9%	3.6%	2.7%	0.0%
	\$100,000+	64.4%	19.1%	10.5%	6.0%	0.0%

Q11b.

Care Access and Utilization

When was the last time you had... <i>a flu shot?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	416	293	36	19	25	43
	100.0%	59.1%	14.8%	8.6%	9.8%	7.7%
Flu shot, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	51.2%	20.4%	10.6%	11.3%	6.5%
	Female	66.8%	9.5%	6.7%	8.3%	8.8%
Age Groups	18-34	46.3%	19.0%	13.9%	14.0%	6.8%
	35-44	55.1%	18.2%	5.7%	14.6%	6.5%
	45-54	68.9%	17.1%	7.6%	3.8%	2.5%
	55-64	72.0%	5.0%	0.4%	4.9%	17.8%
	65-74	81.3%	7.3%	2.4%	3.0%	6.0%
	75+	80.9%	4.6%	3.1%	3.0%	8.4%
Education	High school/GED or less	49.1%	32.4%	2.2%	8.8%	7.5%
	Some college/vocational school or Assoc Deg	66.8%	5.0%	1.4%	12.0%	14.8%
	College graduate	63.5%	11.9%	7.3%	12.2%	5.2%
	Graduate school or beyond	51.8%	17.0%	27.5%	1.7%	2.1%
Income	<\$20,000	48.1%	23.0%	3.9%	17.0%	8.0%
	\$20,000-\$34,999	43.6%	7.4%	20.3%	21.0%	7.8%
	\$35,000-\$49,999	61.5%	21.2%	0.0%	3.2%	14.2%
	\$50,000-\$74,999	70.3%	13.1%	6.8%	7.1%	2.6%
	\$75,000-\$99,999	60.7%	7.0%	21.3%	4.5%	6.5%
	\$100,000+	74.0%	11.5%	6.5%	2.8%	5.3%

When was the last time you had... <i>a dental exam or your teeth cleaned?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	408	317	33	32	25	1
	100.0%	69.7%	15.2%	9.9%	5.1%	0.1%
Dental exam or cleaning, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	64.1%	21.1%	11.5%	3.0%	0.2%
	Female	75.1%	9.4%	8.4%	7.2%	0.0%
Age Groups	18-34	57.6%	24.3%	15.8%	2.3%	0.0%
	35-44	73.5%	16.3%	5.2%	4.9%	0.0%
	45-54	83.4%	2.1%	2.5%	12.1%	0.0%
	55-64	83.4%	6.3%	2.2%	8.1%	0.0%
	65-74	82.1%	4.3%	8.0%	5.6%	0.0%
	75+	74.4%	9.1%	11.6%	3.3%	1.6%
Education	High school/GED or less	58.7%	27.6%	3.0%	10.7%	0.0%
	Some college/vocational school or Assoc Deg	70.3%	11.4%	10.8%	7.5%	0.0%
	College graduate	69.2%	16.2%	12.0%	2.6%	0.0%
	Graduate school or beyond	79.7%	6.5%	11.7%	1.4%	0.6%
Income	<\$20,000	57.2%	33.3%	6.3%	3.2%	0.0%
	\$20,000-\$34,999	50.0%	15.9%	22.9%	11.1%	0.0%
	\$35,000-\$49,999	52.1%	12.0%	26.2%	9.7%	0.0%
	\$50,000-\$74,999	85.0%	4.2%	7.0%	2.9%	0.9%
	\$75,000-\$99,999	82.7%	5.7%	4.0%	7.5%	0.0%
	\$100,000+	90.0%	6.1%	2.8%	1.1%	0.0%

Q11d.

Care Access and Utilization

When was the last time you had... *a hearing test?*

	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	399	78	36	70	137	78
	100.0%	18.7%	9.5%	17.1%	39.5%	15.3%
Hearing test, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	27.9%	8.6%	18.7%	31.0%	13.8%
	Female	9.8%	10.3%	15.6%	47.7%	16.7%
Age Groups	18-34	13.6%	11.3%	16.6%	43.0%	15.4%
	35-44	10.4%	5.3%	25.9%	45.0%	13.4%
	45-54	24.7%	3.9%	12.6%	49.8%	9.1%
	55-64	30.0%	12.6%	13.3%	32.0%	12.1%
	65-74	16.5%	5.1%	21.2%	27.6%	29.6%
	75+	34.7%	14.8%	16.6%	12.4%	21.6%
Education	High school/GED or less	20.8%	9.7%	5.7%	22.8%	41.0%
	Some college/vocational school or Assoc Deg	20.7%	12.2%	25.2%	29.3%	12.6%
	College graduate	17.5%	10.6%	21.3%	43.9%	6.8%
	Graduate school or beyond	17.4%	3.7%	7.8%	57.4%	13.6%
Income	<\$20,000	21.7%	7.8%	27.1%	25.0%	18.4%
	\$20,000-\$34,999	13.3%	8.7%	7.0%	59.2%	11.7%
	\$35,000-\$49,999	20.8%	21.7%	14.5%	37.2%	5.8%
	\$50,000-\$74,999	23.5%	2.2%	15.9%	40.8%	17.5%
	\$75,000-\$99,999	20.1%	8.6%	12.9%	39.6%	18.8%
	\$100,000+	12.8%	8.7%	15.1%	47.9%	15.4%

When was the last time you had... <i>an eye exam?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	408	266	74	39	24	5
	100.0%	51.4%	20.6%	19.5%	7.5%	1.0%
Eye exam, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	44.3%	19.5%	26.5%	8.7%	0.9%
	Female	58.2%	21.6%	12.8%	6.2%	1.2%
Age Groups	18-34	39.5%	22.0%	33.1%	5.4%	0.0%
	35-44	42.8%	25.0%	12.0%	16.5%	3.7%
	45-54	57.5%	20.4%	7.9%	11.7%	2.5%
	55-64	61.7%	20.6%	9.1%	7.7%	0.8%
	65-74	69.4%	19.1%	7.7%	2.5%	1.3%
	75+	91.0%	5.7%	3.3%	0.0%	0.0%
Education	High school/GED or less	48.8%	15.9%	28.1%	5.9%	1.3%
	Some college/vocational school or Assoc Deg	61.7%	11.6%	15.6%	8.3%	2.8%
	College graduate	46.1%	28.4%	21.1%	4.4%	0.0%
	Graduate school or beyond	50.5%	21.4%	14.7%	12.9%	0.6%
Income	<\$20,000	33.4%	22.8%	35.7%	8.2%	0.0%
	\$20,000-\$34,999	38.3%	14.7%	35.8%	10.5%	0.7%
	\$35,000-\$49,999	59.6%	30.1%	5.9%	3.5%	0.9%
	\$50,000-\$74,999	58.3%	20.0%	17.4%	1.4%	2.8%
	\$75,000-\$99,999	78.1%	9.5%	4.6%	7.8%	0.0%
	\$100,000+	53.0%	23.8%	9.5%	11.4%	2.4%

Q11f.

Care Access and Utilization

When was the last time you had...

a check for diabetes such as a fasting blood glucose test?

	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	406	250	50	27	19	60
	100.0%	42.5%	11.1%	10.0%	6.7%	29.7%
Diabetes check, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	34.8%	10.0%	12.8%	6.7%	35.7%
	Female	49.8%	12.1%	7.4%	6.7%	24.0%
Age Groups	18-34	23.2%	4.3%	12.3%	3.8%	56.4%
	35-44	45.7%	18.2%	12.8%	13.3%	10.0%
	45-54	45.7%	21.9%	8.5%	14.8%	9.0%
	55-64	65.0%	13.6%	10.1%	6.2%	5.2%
	65-74	71.7%	12.7%	3.6%	1.8%	10.2%
	75+	72.9%	11.5%	0.8%	3.3%	11.5%
Education	High school/GED or less	38.6%	7.9%	0.9%	13.8%	38.8%
	Some college/vocational school or Assoc Deg	57.3%	10.8%	5.4%	3.5%	23.0%
	College graduate	39.0%	12.8%	16.4%	1.1%	30.8%
	Graduate school or beyond	33.9%	10.8%	11.6%	16.6%	27.2%
Income	<\$20,000	17.2%	3.0%	18.1%	2.6%	59.0%
	\$20,000-\$34,999	37.4%	9.2%	4.9%	4.7%	43.8%
	\$35,000-\$49,999	47.4%	12.3%	6.4%	0.7%	33.2%
	\$50,000-\$74,999	70.9%	3.3%	6.7%	2.6%	16.4%
	\$75,000-\$99,999	55.5%	23.8%	1.5%	12.5%	6.7%
	\$100,000+	47.2%	18.3%	12.3%	15.6%	6.6%

When was the last time you had... <i>any screening for skin cancer?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	379	109	20	29	22	199
	100.0%	18.1%	4.2%	6.6%	3.5%	67.6%
Skin cancer screening, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	13.5%	2.2%	7.7%	3.5%	73.2%
	Female	22.5%	6.1%	5.5%	3.5%	62.3%
Age Groups	18-34	9.7%	3.6%	2.4%	1.2%	83.1%
	35-44	26.0%	6.1%	10.6%	1.0%	56.3%
	45-54	11.8%	0.0%	15.7%	4.8%	67.7%
	55-64	25.2%	6.5%	6.6%	10.1%	51.5%
	65-74	35.8%	6.4%	7.1%	7.7%	43.1%
	75+	43.2%	6.6%	9.5%	2.9%	38.0%
Education	High school/GED or less	16.0%	.3%	5.0%	1.0%	77.7%
	Some college/vocational school or Assoc Deg	14.7%	9.6%	6.6%	5.3%	63.8%
	College graduate	16.8%	3.6%	4.6%	2.7%	72.4%
	Graduate school or beyond	28.3%	1.8%	12.5%	5.1%	52.4%
Income	<\$20,000	4.3%	4.6%	2.6%	0.9%	87.6%
	\$20,000-\$34,999	8.3%	0.9%	2.1%	2.9%	85.8%
	\$35,000-\$49,999	16.9%	4.7%	3.8%	6.8%	67.7%
	\$50,000-\$74,999	28.1%	2.1%	14.1%	7.1%	48.6%
	\$75,000-\$99,999	25.4%	5.3%	2.6%	0.9%	65.8%
	\$100,000+	31.8%	6.2%	14.7%	5.0%	42.3%

When was the last time you had... ***any screening for colon cancer? Examples are fecal occult blood test, proctoscopic exam, sigmoidoscopy, colonoscopy and barium enema?***

	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	403	75	63	86	55	124
	100.0%	13.0%	7.3%	10.9%	8.1%	60.7%
Colon cancer screening, most recent						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	11.9%	5.6%	11.4%	7.1%	64.0%
	Female	14.0%	8.9%	10.5%	9.1%	57.5%
Age Groups	18-34	4.4%	0.0%	0.0%	0.6%	94.9%
	35-44	0.0%	4.1%	2.9%	7.3%	85.7%
	45-54	29.2%	8.3%	6.5%	13.9%	42.2%
	55-64	26.9%	11.8%	37.7%	15.2%	8.4%
	65-74	22.7%	28.1%	25.8%	15.6%	7.8%
	75+	19.6%	23.0%	31.1%	22.1%	4.1%
Education	High school/GED or less	14.1%	12.1%	14.4%	5.9%	53.4%
	Some college/vocational school or Assoc Deg	22.2%	10.1%	14.4%	13.0%	40.3%
	College graduate	7.7%	3.7%	8.1%	7.1%	73.5%
	Graduate school or beyond	10.1%	5.8%	8.9%	5.4%	69.8%
Income	<\$20,000	9.0%	3.9%	6.0%	3.0%	78.0%
	\$20,000-\$34,999	6.2%	13.7%	12.3%	6.1%	61.7%
	\$35,000-\$49,999	9.3%	5.8%	9.6%	15.7%	59.7%
	\$50,000-\$74,999	31.2%	11.9%	15.1%	7.1%	34.7%
	\$75,000-\$99,999	15.8%	7.1%	15.9%	6.9%	54.4%
	\$100,000+	12.5%	4.6%	10.3%	12.5%	60.2%

When was the last time you had... <i>a prostate exam (men only)?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	136	61	19	20	11	25
	100.0%	21.6%	6.9%	8.2%	4.7%	58.5%
Prostate exam, most recent (male only)						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	21.6%	6.9%	8.2%	4.7%	58.5%
	Female	-	-	-	-	-
Age Groups	18-34	*	*	*	*	*
	35-44	*	*	*	*	*
	45-54	*	*	*	*	*
	55-64	*	*	*	*	*
	65-74	62.3%	23.4%	6.5%	5.2%	2.6%
	75+	49.0%	22.4%	22.4%	6.1%	0.0%
Education	High school/GED or less	25.2%	2.9%	9.3%	1.6%	61.0%
	Some college/vocational school or Assoc Deg	42.9%	14.9%	8.6%	7.3%	26.4%
	College graduate	11.5%	4.8%	6.8%	1.5%	75.4%
	Graduate school or beyond	*	*	*	*	*
Income	<\$20,000	*	*	*	*	*
	\$20,000-\$34,999	*	*	*	*	*
	\$35,000-\$49,999	*	*	*	*	*
	\$50,000-\$74,999	61.1%	7.0%	12.4%	19.6%	0.0%
	\$75,000-\$99,999	*	*	*	*	*
	\$100,000+	30.5%	14.6%	15.3%	0.0%	39.7%

When was the last time you had... ***a pap test (women only)?***

	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	263	96	71	31	52	13
	100.0%	44.3%	29.3%	7.0%	9.5%	9.9%
Pap test, most recent (female only)						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	-	-	-	-	-
	Female	44.3%	29.3%	7.0%	9.5%	9.9%
Age Groups	18-34	48.8%	31.0%	0.0%	0.0%	20.2%
	35-44	57.1%	28.6%	10.7%	3.6%	0.0%
	45-54	*	*	*	*	*
	55-64	41.2%	24.4%	9.2%	25.2%	0.0%
	65-74	23.5%	40.7%	13.6%	19.8%	2.5%
	75+	5.6%	25.0%	18.1%	44.4%	6.9%
Education	High school/GED or less	43.1%	22.5%	7.2%	14.0%	13.1%
	Some college/vocational school or Assoc Deg	38.9%	18.9%	9.4%	13.6%	19.2%
	College graduate	51.4%	35.2%	5.6%	7.7%	0.0%
	Graduate school or beyond	44.5%	41.4%	5.7%	2.5%	5.9%
Income	<\$20,000	31.9%	23.9%	5.8%	8.2%	30.2%
	\$20,000-\$34,999	45.7%	34.4%	2.0%	8.9%	9.0%
	\$35,000-\$49,999	55.6%	27.3%	4.4%	12.7%	0.0%
	\$50,000-\$74,999	37.6%	40.3%	3.2%	18.9%	0.0%
	\$75,000-\$99,999	48.9%	17.8%	13.8%	6.2%	13.2%
	\$100,000+	57.6%	29.6%	9.5%	2.2%	1.1%

When was the last time you had... <i>a mammogram (women only)?</i>						
	Total	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Unweighted Count	267	144	37	21	12	53
	100.0%	34.9%	10.6%	6.5%	2.6%	45.3%
Mammogram, most recent (female only)						
		Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
Sex	Male	-	-	-	-	-
	Female	34.9%	10.6%	6.5%	2.6%	45.3%
Age Groups	18-34	0.0%	2.4%	2.4%	0.0%	95.1%
	35-44	40.0%	9.1%	18.2%	0.0%	32.7%
	45-54	*	*	*	*	*
	55-64	70.3%	15.3%	6.8%	7.6%	0.0%
	65-74	81.0%	15.5%	1.2%	2.4%	0.0%
	75+	56.6%	22.4%	13.2%	7.9%	0.0%
Education	High school/GED or less	33.7%	30.2%	15.0%	6.9%	14.2%
	Some college/vocational school or Assoc Deg	42.6%	7.0%	7.8%	3.8%	38.8%
	College graduate	28.4%	5.5%	4.8%	0.9%	60.4%
	Graduate school or beyond	34.1%	11.7%	0.0%	0.0%	54.2%
Income	<\$20,000	15.6%	14.3%	9.5%	3.1%	57.5%
	\$20,000-\$34,999	28.3%	12.3%	13.4%	0.7%	45.3%
	\$35,000-\$49,999	50.2%	5.7%	0.0%	5.6%	38.5%
	\$50,000-\$74,999	38.3%	5.9%	6.0%	2.7%	47.1%
	\$75,000-\$99,999	37.4%	16.5%	2.9%	6.0%	37.2%
	\$100,000+	47.6%	7.2%	4.9%	0.0%	40.3%

Q12.

Insurance Status

Do you currently have any type of health insurance?			
	Total	Currently uninsured	Currently insured
Unweighted Count	436	8	428
	100.0%	3.1%	96.9%
		Current insurance status	
		Currently uninsured	Currently insured
Sex	Male	4.6%	95.4%
	Female	1.7%	98.3%
Age Groups	18-34	4.3%	95.7%
	35-44	5.9%	94.1%
	45-54	0.0%	100.0%
	55-64	1.7%	98.3%
	65-74	0.6%	99.4%
	75+	2.2%	97.8%
Education	High school/GED or less	16.2%	83.8%
	Some college/vocational school or Assoc Deg	0.2%	99.8%
	College graduate	0.3%	99.7%
	Graduate school or beyond	0.0%	100.0%
Income	<\$20,000	7.7%	92.3%
	\$20,000-\$34,999	6.2%	93.8%
	\$35,000-\$49,999	1.0%	99.0%
	\$50,000-\$74,999	0.4%	99.6%
	\$75,000-\$99,999	0.8%	99.2%
	\$100,000+	0.0%	100.0%

Weight/BMI

Calculated variable: Weight status according to BMI

	Total	Not overweight	Overweight but not obese	Obese
Unweighted Count	417	134	149	134
	100.0%	38.0%	32.1%	29.9%
Weight status according to BMI				
		Not overweight	Overweight but not obese	Obese
Sex	Male	29.9%	43.6%	26.5%
	Female	46.3%	20.3%	33.4%
Age Groups	18-34	49.3%	24.2%	26.5%
	35-44	33.5%	37.0%	29.4%
	45-54	27.7%	37.3%	35.0%
	55-64	26.9%	35.4%	37.7%
	65-74	22.0%	41.5%	36.4%
	75+	29.7%	48.8%	21.5%
Education	High school/GED or less	27.5%	48.1%	24.4%
	Some college/vocational school or Assoc Deg	33.1%	23.4%	43.5%
	College graduate	45.7%	26.1%	28.2%
	Graduate school or beyond	39.5%	40.5%	20.0%
Income	<\$20,000	37.9%	28.1%	34.0%
	\$20,000-\$34,999	29.8%	23.9%	46.3%
	\$35,000-\$49,999	32.4%	36.5%	31.1%
	\$50,000-\$74,999	48.7%	21.7%	29.7%
	\$75,000-\$99,999	46.5%	37.8%	15.8%
	\$100,000+	32.4%	42.4%	25.2%

Eating and Food Access

	Total	0 servings	1-2 servings	3-4 servings	5 or more servings
14. How many servings of vegetables did you have yesterday?	409	50	237	94	28
	100.0%	14.1%	50.3%	27.6%	8.1%
15. How many servings of fruit did you have yesterday?	405	52	251	90	12
	100.0%	13.6%	64.8%	17.1%	4.5%
16. How many servings of fruit juice did you have yesterday?	405	261	129	10	5
	100.0%	65.7%	24.3%	2.7%	7.2%

A serving of vegetables—not including french fries—is one cup of salad greens or a half cup vegetables. How many servings of vegetables did you eat yesterday?

	Total	0 servings	1-2 servings	3-4 servings	5 or more servings
Unweighted Count	409	50	237	94	28
	100.0%	14.1%	50.3%	27.6%	8.1%
Number of vegetables yesterday					
		0 servings	1-2 servings	3-4 servings	5 or more servings
Sex	Male	12.5%	51.3%	29.9%	6.3%
	Female	15.7%	49.3%	25.2%	9.8%
Age Groups	18-34	13.8%	41.3%	33.3%	11.6%
	35-44	16.7%	60.4%	20.1%	2.8%
	45-54	25.0%	42.5%	30.0%	2.5%
	55-64	6.7%	64.4%	18.5%	10.4%
	65-74	7.2%	68.5%	22.5%	1.8%
	75+	9.4%	64.0%	18.8%	7.7%
Education	High school/GED or less	11.9%	59.1%	15.3%	13.7%
	Some college/vocational school or Assoc Deg	14.3%	56.5%	21.9%	7.2%
	College graduate	17.5%	39.5%	38.6%	4.5%
	Graduate school or beyond	7.5%	57.4%	25.2%	9.8%
Income	<\$20,000	11.6%	32.1%	44.7%	11.6%
	\$20,000-\$34,999	8.5%	61.6%	23.0%	6.9%
	\$35,000-\$49,999	16.2%	58.5%	24.9%	0.5%
	\$50,000-\$74,999	15.5%	50.8%	27.1%	6.6%
	\$75,000-\$99,999	16.8%	62.9%	15.1%	5.2%
	\$100,000+	18.0%	53.3%	18.8%	9.9%

Q15.

Eating and Food Access

A serving of fruit is a medium-sized piece of fruit or a half cup of chopped, cut or canned fruit. How many servings of fruit did you have yesterday?

	Total	0 servings	1-2 servings	3-4 servings	5 or more servings
Unweighted Count	405	52	251	90	12
	100.0%	13.6%	64.8%	17.1%	4.5%
Number of fruits yesterday					
		0 servings	1-2 servings	3-4 servings	5 or more servings
Sex	Male	13.8%	71.8%	9.2%	5.3%
	Female	13.4%	57.8%	25.0%	3.7%
Age Groups	18-34	5.0%	72.2%	15.6%	7.2%
	35-44	31.4%	54.5%	14.1%	0.0%
	45-54	31.3%	50.4%	18.3%	0.0%
	55-64	14.9%	67.2%	13.1%	4.8%
	65-74	8.6%	69.5%	18.1%	3.8%
	75+	4.3%	54.3%	37.1%	4.4%
Education	High school/GED or less	13.3%	61.2%	11.4%	14.1%
	Some college/vocational school or Assoc Deg	17.2%	61.0%	19.4%	2.4%
	College graduate	14.2%	69.5%	14.9%	1.3%
	Graduate school or beyond	8.1%	63.8%	24.7%	3.4%
Income	<\$20,000	6.6%	74.2%	11.7%	7.6%
	\$20,000-\$34,999	6.4%	70.7%	20.2%	2.8%
	\$35,000-\$49,999	20.5%	58.0%	20.0%	1.5%
	\$50,000-\$74,999	4.4%	57.4%	30.0%	8.2%
	\$75,000-\$99,999	12.8%	71.7%	15.0%	0.4%
	\$100,000+	30.8%	54.4%	12.5%	2.3%

A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

	Total	0 servings	1-2 servings	3-4 servings	5 or more servings
Unweighted Count	405	261	129	10	5
	100.0%	65.7%	24.3%	2.7%	7.2%
Number of juice servings yesterday					
		0 servings	1-2 servings	3-4 servings	5 or more servings
Sex	Male	57.3%	26.3%	3.0%	13.4%
	Female	74.1%	22.4%	2.5%	1.0%
Age Groups	18-34	62.9%	21.9%	1.1%	14.1%
	35-44	82.5%	15.8%	1.7%	0.0%
	45-54	73.4%	17.9%	8.8%	0.0%
	55-64	59.2%	31.6%	4.3%	4.8%
	65-74	58.0%	41.4%	0.6%	0.0%
	75+	57.5%	39.9%	2.6%	0.0%
Education	High school/GED or less	66.8%	17.3%	0.3%	15.7%
	Some college/vocational school or Assoc Deg	74.1%	21.7%	4.2%	0.0%
	College graduate	55.0%	29.6%	4.0%	11.5%
	Graduate school or beyond	75.1%	24.3%	0.6%	0.0%
Income	<\$20,000	44.8%	30.5%	0.4%	24.2%
	\$20,000-\$34,999	69.5%	23.6%	4.9%	1.9%
	\$35,000-\$49,999	90.1%	9.4%	0.5%	0.0%
	\$50,000-\$74,999	72.8%	26.3%	0.9%	0.0%
	\$75,000-\$99,999	68.3%	29.1%	2.6%	0.0%
	\$100,000+	69.9%	20.8%	7.4%	1.8%

Calculated variable:

Number of fruits and vegetables yesterday

	Total	0 servings	1-2 servings	3-4 servings	5 or more servings
Unweighted Count	398	12	77	129	180
	100.0%	4.0%	23.6%	27.7%	44.7%
Number of fruits and vegetables yesterday					
		0 servings	1-2 servings	3-4 servings	5 or more servings
Sex	Male	3.9%	24.7%	27.0%	44.4%
	Female	4.1%	22.4%	28.4%	45.0%
Age Groups	18-34	2.2%	24.9%	23.2%	49.7%
	35-44	8.3%	32.2%	26.8%	32.7%
	45-54	10.4%	26.2%	25.4%	37.9%
	55-64	0.9%	20.8%	39.6%	38.7%
	65-74	2.5%	8.2%	36.2%	53.1%
	75+	1.8%	12.8%	34.9%	50.5%
Education	High school/GED or less	4.9%	21.9%	36.0%	37.3%
	Some college/vocational school or Assoc Deg	5.0%	23.7%	28.6%	42.7%
	College graduate	3.0%	24.7%	24.3%	48.0%
	Graduate school or beyond	4.1%	22.1%	26.4%	47.5%
Income	<\$20,000	2.8%	9.5%	22.3%	65.4%
	\$20,000-\$34,999	0.4%	36.5%	23.8%	39.3%
	\$35,000-\$49,999	11.7%	29.3%	32.8%	26.1%
	\$50,000-\$74,999	1.6%	16.1%	33.4%	49.0%
	\$75,000-\$99,999	0.0%	46.1%	22.0%	32.0%
	\$100,000+	8.1%	20.7%	35.5%	35.7%

How many glasses of each of the following did you drink yesterday?

	0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Pop or soda (regular)	314	79	18	1	0
Pop or soda (diet)	311	78	19	1	1
Sports or energy drinks (Gatorade, Red Bull Monster, etc.)	383	17	3	0	1
Other sugar-sweetened drinks such as lemonade, sweet tea, coffee, or Kool-aid	291	92	24	7	1

Q17a.

Eating and Food Access

How many glasses of each of the following did you drink yesterday?
Think of a “glass” as a 12-oz. serving.

Pop or soda (regular)

	Total	0 glasses	1-2 glasses	3-4 glasses	5 or more glasses
Unweighted Count	412	314	79	18	1
	100.0%	66.4%	23.6%	9.9%	0.1%
Pop/soda (regular) yesterday					
		0 servings	1-2 servings	3-4 servings	5 or more servings
Sex	Male	54.4%	30.7%	14.6%	0.2%
	Female	78.4%	16.5%	5.1%	0.0%
Age Groups	18-34	61.2%	21.9%	16.9%	0.0%
	35-44	59.7%	36.2%	4.2%	0.0%
	45-54	64.1%	33.4%	2.5%	0.0%
	55-64	79.4%	14.0%	5.6%	1.0%
	65-74	76.8%	20.7%	2.4%	0.0%
	75+	83.2%	12.8%	4.0%	0.0%
Education	High school/GED or less	44.4%	35.0%	20.6%	0.0%
	Some college/vocational school or Assoc Deg	73.6%	23.8%	2.2%	0.5%
	College graduate	71.7%	14.4%	13.9%	0.0%
	Graduate school or beyond	66.7%	31.2%	2.1%	0.0%
Income	<\$20,000	50.4%	21.5%	28.1%	0.0%
	\$20,000-\$34,999	53.4%	40.5%	6.1%	0.0%
	\$35,000-\$49,999	80.8%	14.3%	4.9%	0.0%
	\$50,000-\$74,999	81.1%	17.3%	1.6%	0.0%
	\$75,000-\$99,999	79.5%	18.9%	0.8%	0.9%
	\$100,000+	66.6%	30.7%	2.7%	0.0%

How many glasses of each of the following did you drink yesterday?
Think of a “glass” as a 12-oz. serving.

Pop or soda (diet)

	Total	0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Unweighted Count	410	311	78	19	1	1
	100.0%	77.4%	17.0%	4.6%	0.2%	0.8%
Pop/soda (diet) yesterday						
		0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Sex	Male	78.9%	16.6%	4.5%	0.0%	0.0%
	Female	75.9%	17.5%	4.7%	0.4%	1.6%
Age Groups	18-34	84.5%	12.7%	1.1%	0.0%	1.7%
	35-44	79.6%	12.5%	7.9%	0.0%	0.0%
	45-54	51.0%	33.7%	14.0%	1.3%	0.0%
	55-64	80.2%	12.4%	7.3%	0.0%	0.0%
	65-74	71.9%	25.6%	2.4%	0.0%	0.0%
	75+	79.5%	19.7%	0.8%	0.0%	0.0%
Education	High school/GED or less	74.0%	20.3%	5.7%	0.0%	0.0%
	Some college/vocational school or Assoc Deg	82.5%	10.9%	5.9%	0.7%	0.0%
	College graduate	79.5%	14.0%	4.5%	0.0%	2.0%
	Graduate school or beyond	68.3%	29.5%	2.2%	0.0%	0.0%
Income	<\$20,000	81.0%	16.0%	2.4%	0.7%	0.0%
	\$20,000-\$34,999	87.5%	9.5%	3.0%	0.0%	0.0%
	\$35,000-\$49,999	80.7%	11.1%	8.2%	0.0%	0.0%
	\$50,000-\$74,999	82.7%	14.1%	3.2%	0.0%	0.0%
	\$75,000-\$99,999	72.9%	18.6%	2.9%	0.0%	5.7%
	\$100,000+	62.7%	28.4%	8.9%	0.0%	0.0%

Q17c.

Eating and Food Access

How many glasses of each of the following did you drink yesterday?
Think of a “glass” as a 12-oz. serving.

Sports or energy drinks (Gatorade, Red Bull, Monster, etc.)

	Total	0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Unweighted Count	404	383	17	3	0	1
	100.0%	85.4%	11.6%	2.2%	0.0%	0.8%
Sports or energy drinks yesterday						
		0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Sex	Male	76.0%	19.6%	4.4%	0.0%	0.0%
	Female	95.1%	3.3%	0.0%	0.0%	1.6%
Age Groups	18-34	75.1%	18.8%	4.4%	0.0%	1.7%
	35-44	87.5%	12.5%	0.0%	0.0%	0.0%
	45-54	97.5%	2.5%	0.0%	0.0%	0.0%
	55-64	97.0%	3.0%	0.0%	0.0%	0.0%
	65-74	96.2%	3.8%	0.0%	0.0%	0.0%
	75+	94.1%	3.4%	2.5%	0.0%	0.0%
Education	High school/GED or less	64.6%	23.5%	11.9%	0.0%	0.0%
	Some college/vocational school or Assoc Deg	91.6%	8.0%	0.4%	0.0%	0.0%
	College graduate	85.9%	12.1%	0.0%	0.0%	2.0%
	Graduate school or beyond	95.8%	4.2%	0.0%	0.0%	0.0%
Income	<\$20,000	60.4%	32.0%	7.7%	0.0%	0.0%
	\$20,000-\$34,999	98.3%	1.7%	0.0%	0.0%	0.0%
	\$35,000-\$49,999	99.6%	0.0%	0.4%	0.0%	0.0%
	\$50,000-\$74,999	92.2%	6.9%	0.9%	0.0%	0.0%
	\$75,000-\$99,999	91.5%	2.9%	0.0%	0.0%	5.6%
	\$100,000+	93.5%	6.5%	0.0%	0.0%	0.0%

How many glasses of each of the following did you drink yesterday?
Think of a “glass” as a 12-oz. serving.

Other sugar-sweetened drinks, such as Sweet tea, lemonade, coffee drinks, juice drinks, or Kool-Aid

	Total	0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Unweighted Count	415	291	92	24	7	1
	100.0%	65.1%	25.2%	6.8%	2.8%	0.1%
Other sugar-sweetened beverages yesterday						
		0 glasses	1-2 glasses	3-4 glasses	5-6 glasses	7 or more glasses
Sex	Male	63.4%	21.3%	10.1%	4.9%	0.2%
	Female	66.7%	29.2%	3.5%	0.6%	0.0%
Age Groups	18-34	55.9%	29.8%	9.8%	4.4%	0.0%
	35-44	75.8%	22.8%	0.0%	1.4%	0.0%
	45-54	71.0%	27.7%	0.0%	1.3%	0.0%
	55-64	71.7%	18.2%	8.2%	1.9%	0.0%
	65-74	75.5%	19.2%	4.1%	1.2%	0.0%
	75+	70.7%	13.4%	13.5%	0.8%	1.6%
Education	High school/GED or less	57.7%	25.1%	3.6%	13.7%	0.0%
	Some college/vocational school or Assoc Deg	68.5%	24.0%	6.7%	0.7%	0.0%
	College graduate	57.5%	31.0%	11.6%	0.0%	0.0%
	Graduate school or beyond	84.0%	14.5%	0.6%	0.3%	0.6%
Income	<\$20,000	41.6%	31.9%	17.7%	8.9%	0.0%
	\$20,000-\$34,999	68.9%	27.2%	1.6%	2.2%	0.0%
	\$35,000-\$49,999	83.7%	15.4%	0.9%	0.0%	0.0%
	\$50,000-\$74,999	55.8%	31.8%	11.4%	0.0%	0.9%
	\$75,000-\$99,999	68.0%	30.4%	1.6%	0.0%	0.0%
	\$100,000+	86.3%	13.3%	0.4%	0.0%	0.0%

Q18.

Eating and Food Access

In an average week, how many times do you eat out or order out a meal from a fast food place (McDonald's, KFC, Taco Bell, pizza places, etc.)?

	Total	0 times	1-2 times	3-4 times	5-6 times	7 or more times
Unweighted Count	434	161	222	45	5	1
	100.0%	25.9%	60.1%	12.2%	1.7%	0.1%
Eat fast food - times in an average week.						
		0 times	1-2 times	3-4 times	5-6 times	7 or more times
Sex	Male	18.9%	64.1%	16.5%	0.5%	0.0%
	Female	32.9%	56.0%	7.9%	3.0%	0.2%
Age Groups	18-34	18.8%	65.8%	13.7%	1.7%	0.0%
	35-44	15.3%	64.5%	12.8%	7.3%	0.0%
	45-54	30.4%	60.0%	9.6%	0.0%	0.0%
	55-64	42.5%	47.7%	9.7%	0.0%	0.0%
	65-74	36.6%	47.4%	14.8%	0.0%	1.2%
	75+	38.5%	51.9%	8.9%	0.7%	0.0%
Education	High school/GED or less	24.6%	59.5%	12.7%	3.2%	0.0%
	Some college/vocational school or Assoc Deg	21.6%	63.9%	14.5%	0.0%	0.0%
	College graduate	26.0%	56.5%	14.7%	2.6%	0.2%
	Graduate school or beyond	32.0%	63.6%	3.4%	1.0%	0.0%
Income	<\$20,000	17.3%	59.8%	20.1%	2.8%	0.0%
	\$20,000-\$34,999	22.4%	57.5%	15.8%	4.2%	0.0%
	\$35,000-\$49,999	34.2%	59.8%	5.6%	0.4%	0.0%
	\$50,000-\$74,999	35.3%	55.4%	9.2%	0.0%	0.0%
	\$75,000-\$99,999	24.8%	66.5%	7.5%	1.2%	0.0%
	\$100,000+	28.7%	60.1%	9.6%	1.1%	0.5%

During the past 12 months, have you used a community food shelf program?			
	Total	Yes	No
Unweighted Count	427	24	403
	100.0%	9.4%	90.6%
		Used community food shelf in past 12 months	
		Yes	No
Sex	Male	10.6%	89.4%
	Female	8.2%	91.8%
Age Groups	18-34	13.2%	86.8%
	35-44	7.1%	92.9%
	45-54	10.0%	90.0%
	55-64	5.7%	94.3%
	65-74	4.2%	95.8%
	75+	0.7%	99.3%
Education	High school/GED or less	4.9%	95.1%
	Some college/vocational school or Assoc Deg	12.9%	87.1%
	College graduate	13.3%	86.7%
	Graduate school or beyond	0.9%	99.1%
Income	<\$20,000	24.4%	75.6%
	\$20,000-\$34,999	4.2%	95.8%
	\$35,000-\$49,999	18.5%	81.5%
	\$50,000-\$74,999	0.0%	100.0%
	\$75,000-\$99,999	0.0%	100.0%
	\$100,000+	0.0%	100.0%

Q20.

Eating and Food Access

During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

	Total	Often	Sometimes	Rarely	Never
Unweighted Count	432	8	37	22	365
	100.0%	9.6%	12.9%	5.0%	72.5%
Worried about food running out in past 12 months					
		Often	Sometimes	Rarely	Never
Sex	Male	16.4%	13.1%	1.8%	68.7%
	Female	2.7%	12.7%	8.3%	76.3%
Age Groups	18-34	19.8%	18.9%	3.4%	57.9%
	35-44	0.0%	19.3%	0.0%	80.7%
	45-54	1.2%	0.0%	15.8%	83.0%
	55-64	3.0%	10.1%	5.5%	81.3%
	65-74	1.2%	2.3%	3.5%	92.9%
	75+	0.0%	5.1%	3.7%	91.2%
Education	High school/GED or less	21.4%	14.5%	6.5%	57.6%
	Some college/vocational school or Assoc Deg	6.6%	11.5%	8.8%	73.1%
	College graduate	10.5%	16.3%	3.4%	69.7%
	Graduate school or beyond	0.0%	4.9%	1.4%	93.6%
Income	<\$20,000	30.1%	29.9%	7.5%	32.5%
	\$20,000-\$34,999	7.3%	15.6%	5.2%	71.9%
	\$35,000-\$49,999	4.1%	12.5%	9.9%	73.4%
	\$50,000-\$74,999	0.0%	6.0%	2.8%	91.3%
	\$75,000-\$99,999	0.0%	0.0%	2.1%	97.9%
	\$100,000+	0.0%	2.6%	1.8%	95.6%

During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

	Total	Yes	No
Unweighted Count	437	346	91
	100.0%	86.5%	13.5%
		Participate in any physical activities or exercise in past 30 days	
		Yes	No
Sex	Male	91.3%	8.7%
	Female	81.8%	18.2%
Age Groups	18-34	92.2%	7.8%
	35-44	90.3%	9.7%
	45-54	84.2%	15.8%
	55-64	80.2%	19.8%
	65-74	82.2%	17.8%
	75+	66.2%	33.8%
Education	High school/GED or less	69.0%	31.0%
	Some college/vocational school or Assoc Deg	84.9%	15.1%
	College graduate	92.0%	8.0%
	Graduate school or beyond	96.9%	3.1%
Income	<\$20,000	84.0%	16.0%
	\$20,000-\$34,999	77.7%	22.3%
	\$35,000-\$49,999	84.7%	15.3%
	\$50,000-\$74,999	93.9%	6.1%
	\$75,000-\$99,999	86.7%	13.3%
	\$100,000+	93.2%	6.8%

Q22.

Physical Activity

During an average week, other than your regular job, how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

	Total	0 days	1-4 days	5+ days
Unweighted Count	432	61	264	107
	100.0%	10.8%	67.2%	22.0%
		Moderate exercise 5+ days per week		
		0 days	1-4 days	5+ days
Sex	Male	8.0%	71.4%	20.6%
	Female	13.6%	62.9%	23.5%
Age Groups	18-34	7.7%	78.0%	14.3%
	35-44	5.6%	67.3%	27.1%
	45-54	15.8%	42.1%	42.1%
	55-64	15.3%	61.6%	23.0%
	65-74	11.7%	56.7%	31.6%
	75+	20.1%	68.0%	11.9%
Education	High school/GED or less	23.4%	66.9%	9.6%
	Some college/vocational school or Assoc Deg	14.0%	68.1%	17.9%
	College graduate	5.4%	65.7%	28.9%
	Graduate school or beyond	3.2%	69.5%	27.3%
Income	<\$20,000	16.0%	78.4%	5.6%
	\$20,000-\$34,999	8.2%	80.7%	11.1%
	\$35,000-\$49,999	23.1%	54.1%	22.9%
	\$50,000-\$74,999	6.4%	72.6%	21.0%
	\$75,000-\$99,999	7.8%	61.1%	31.1%
	\$100,000+	2.4%	51.9%	45.7%

During an average week, other than your regular job, how many days do you get at least 20 minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

	Total	0 days	1-2 days	3+ days
Unweighted Count	390	167	114	109
	100.0%	33.3%	39.3%	27.4%
		Vigorous exercise 3+ days per week		
		0 days	1-2 days	3+ days
Sex	Male	27.1%	46.9%	26.0%
	Female	39.5%	31.6%	28.9%
Age Groups	18-34	27.4%	48.1%	24.5%
	35-44	25.7%	45.0%	29.3%
	45-54	30.4%	29.5%	40.1%
	55-64	43.7%	28.3%	28.0%
	65-74	48.7%	24.9%	26.3%
	75+	55.2%	26.9%	17.9%
Education	High school/GED or less	42.6%	41.8%	15.6%
	Some college/vocational school or Assoc Deg	44.4%	39.8%	15.7%
	College graduate	31.6%	32.8%	35.6%
	Graduate school or beyond	12.2%	51.0%	36.9%
Income	<\$20,000	40.0%	53.4%	6.6%
	\$20,000-\$34,999	33.4%	48.1%	18.6%
	\$35,000-\$49,999	44.6%	40.5%	14.8%
	\$50,000-\$74,999	29.8%	18.9%	51.4%
	\$75,000-\$99,999	26.2%	28.7%	45.2%
	\$100,000+	24.6%	36.8%	38.5%

Q24.

Physical Activity

What prevents you from being more physically active?
(mark all that apply)

	Not Checked	Checked
Lack of time	303	137
Lack of programs, leaders or facilities	436	4
I don't know how to get started or where to go	419	21
The cost of fitness programs, gym membership or admission fees	395	45
I don't want to	358	82
Other reason	302	138

What prevents you from being more physically active? <i><u>Lack of time</u></i>			
	Total	Not checked	Checked
Unweighted Count	440	303	137
	100.0%	52.7%	47.3%
		What prevents from being more active: Lack of time	
		Not checked	Checked
Sex	Male	59.6%	40.4%
	Female	45.8%	54.2%
Age Groups	18-34	41.0%	59.0%
	35-44	35.8%	64.2%
	45-54	56.7%	43.3%
	55-64	65.5%	34.5%
	65-74	83.4%	16.6%
	75+	89.2%	10.8%
Education	High school/GED or less	79.4%	20.6%
	Some college/vocational school or Assoc Deg	50.4%	49.6%
	College graduate	35.3%	64.7%
	Graduate school or beyond	64.5%	35.5%
Income	<\$20,000	46.5%	53.5%
	\$20,000-\$34,999	65.8%	34.2%
	\$35,000-\$49,999	54.2%	45.8%
	\$50,000-\$74,999	47.5%	52.5%
	\$75,000-\$99,999	58.1%	41.9%
	\$100,000+	51.0%	49.0%

Q24.

Physical Activity

What prevents you from being more physically active? <i><u>Lack of programs, leaders or facilities</u></i>			
	Total	Not checked	Checked
Unweighted Count	440	436	4
	100.0%	99.2%	0.8%
		What prevents from being more active: Lack of programs, leaders or facilities	
		Not checked	Checked
Sex	Male	98.5%	1.5%
	Female	99.9%	0.1%
Age Groups	18-34	100.0%	0.0%
	35-44	94.5%	5.5%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	98.9%	1.1%
	75+	99.3%	0.7%
Education	High school/GED or less	98.1%	1.9%
	Some college/vocational school or Assoc Deg	99.8%	0.2%
	College graduate	99.8%	0.2%
	Graduate school or beyond	98.1%	1.9%
Income	<\$20,000	100.0%	0.0%
	\$20,000-\$34,999	97.3%	2.7%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	99.3%	0.7%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	98.3%	1.7%

What prevents you from being more physically active? <i><u>I don't know how to get started or where to go</u></i>			
	Total	Not checked	Checked
Unweighted Count	440	419	21
	100.0%	92.2%	7.8%
		What prevents from being more active: I don't know how to get started or where to go	
		Not checked	Checked
Sex	Male	89.6%	10.4%
	Female	94.7%	5.3%
Age Groups	18-34	88.0%	12.0%
	35-44	94.7%	5.3%
	45-54	98.8%	1.2%
	55-64	93.2%	6.8%
	65-74	97.7%	2.3%
	75+	93.6%	6.4%
Education	High school/GED or less	99.7%	0.3%
	Some college/vocational school or Assoc Deg	92.4%	7.6%
	College graduate	87.4%	12.6%
	Graduate school or beyond	95.2%	4.8%
Income	<\$20,000	82.9%	17.1%
	\$20,000-\$34,999	95.9%	4.1%
	\$35,000-\$49,999	92.4%	7.6%
	\$50,000-\$74,999	97.5%	2.5%
	\$75,000-\$99,999	96.7%	3.3%
	\$100,000+	95.2%	4.8%

Q24.

Physical Activity

What prevents you from being more physically active? <i>The cost of fitness programs, gym membership or admission fees</i>			
	Total	Not checked	Checked
Unweighted Count	440	395	45
	100.0%	83.1%	16.9%
		What prevents from being more active: Cost of fitness programs, memberships or fees	
		Not checked	Checked
Sex	Male	77.1%	22.9%
	Female	89.2%	10.8%
Age Groups	18-34	76.0%	24.0%
	35-44	82.6%	17.4%
	45-54	90.0%	10.0%
	55-64	88.3%	11.7%
	65-74	94.8%	5.2%
	75+	92.9%	7.1%
Education	High school/GED or less	70.6%	29.4%
	Some college/vocational school or Assoc Deg	83.8%	16.2%
	College graduate	83.8%	16.2%
	Graduate school or beyond	93.6%	6.4%
Income	<\$20,000	65.4%	34.6%
	\$20,000-\$34,999	81.8%	18.2%
	\$35,000-\$49,999	86.8%	13.2%
	\$50,000-\$74,999	93.4%	6.6%
	\$75,000-\$99,999	90.5%	9.5%
	\$100,000+	92.6%	7.4%

What prevents you from being more physically active? <i><u>I don't want to</u></i>			
	Total	Not checked	Checked
Unweighted Count	440	358	82
	100.0%	83.9%	16.1%
		What prevents from being more active: I don't want to	
		Not checked	Checked
Sex	Male	84.6%	15.4%
	Female	83.1%	16.9%
Age Groups	18-34	83.5%	16.5%
	35-44	85.0%	15.0%
	45-54	93.3%	6.7%
	55-64	78.5%	21.5%
	65-74	71.5%	28.5%
	75+	89.3%	10.7%
Education	High school/GED or less	91.3%	8.7%
	Some college/vocational school or Assoc Deg	74.6%	25.4%
	College graduate	82.9%	17.1%
	Graduate school or beyond	93.4%	6.6%
Income	<\$20,000	94.8%	5.2%
	\$20,000-\$34,999	83.6%	16.4%
	\$35,000-\$49,999	63.2%	36.8%
	\$50,000-\$74,999	91.4%	8.6%
	\$75,000-\$99,999	77.5%	22.5%
	\$100,000+	80.2%	19.8%

Q24.

Physical Activity

What prevents you from being more physically active? <i><u>Other reason</u></i>			
	Total	Not checked	Checked
Unweighted Count	440	302	138
	100.0%	71.1%	28.9%
		What prevents from being more active: Other reason	
		Not checked	Checked
Sex	Male	68.6%	31.4%
	Female	73.6%	26.4%
Age Groups	18-34	67.2%	32.8%
	35-44	91.8%	8.2%
	45-54	80.0%	20.0%
	55-64	66.5%	33.5%
	65-74	67.9%	32.1%
	75+	55.7%	44.3%
Education	High school/GED or less	72.7%	27.3%
	Some college/vocational school or Assoc Deg	76.7%	23.3%
	College graduate	68.6%	31.4%
	Graduate school or beyond	67.1%	32.9%
Income	<\$20,000	47.6%	52.4%
	\$20,000-\$34,999	58.7%	41.3%
	\$35,000-\$49,999	78.9%	21.1%
	\$50,000-\$74,999	85.4%	14.6%
	\$75,000-\$99,999	75.3%	24.7%
	\$100,000+	94.8%	5.2%

In the past 12 months, has someone living in your home made you fearful through action, tone of voice, threats, or destroying your property?

	Total	Yes	No
Unweighted Count	385	2	383
	100.0%	0.2%	99.8%
		Was made to feel fearful by someone at home in past 12 months	
		Yes	No
Sex	Male	0.0%	100.0%
	Female	0.5%	99.5%
Age Groups	18-34	0.0%	100.0%
	35-44	0.0%	100.0%
	45-54	0.0%	100.0%
	55-64	1.7%	98.3%
	65-74	0.0%	100.0%
	75+	0.0%	100.0%
Education	High school/GED or less	0.7%	99.3%
	Some college/vocational school or Assoc Deg	0.5%	99.5%
	College graduate	0.0%	100.0%
	Graduate school or beyond	0.0%	100.0%
Income	<\$20,000	0.5%	99.5%
	\$20,000-\$34,999	0.0%	100.0%
	\$35,000-\$49,999	0.0%	100.0%
	\$50,000-\$74,999	0.9%	99.1%
	\$75,000-\$99,999	0.0%	100.0%
	\$100,000+	0.0%	100.0%

Q26.

Safety

Do you ever drive a car or other vehicle?			
	Total	Yes	No
Unweighted Count	428	393	35
	100.0%	89.8%	10.2%
		Ever drive a car	
		Yes	No
Sex	Male	86.0%	14.0%
	Female	93.6%	6.4%
Age Groups	18-34	84.3%	15.7%
	35-44	98.5%	1.5%
	45-54	95.4%	4.6%
	55-64	93.6%	6.4%
	65-74	95.4%	4.6%
	75+	86.1%	13.9%
Education	High school/GED or less	73.5%	26.5%
	Some college/vocational school or Assoc Deg	98.2%	1.8%
	College graduate	88.5%	11.5%
	Graduate school or beyond	99.2%	0.8%
Income	<\$20,000	71.7%	28.3%
	\$20,000-\$34,999	95.7%	4.3%
	\$35,000-\$49,999	96.2%	3.8%
	\$50,000-\$74,999	95.7%	4.3%
	\$75,000-\$99,999	94.1%	5.9%
	\$100,000+	100.0%	0.0%

When driving a car or other vehicle, how often do you...

	Often	Sometimes	Never	I don't have a cell phone or computer
Read or send text messages?	2	82	291	11
Make or answer a phone call?	28	217	130	8
Use a computer or tablet to watch movies or TV, surf the Internet or read/send email?	10	2	358	13
Do other activities such as eat, read, apply makeup, or shave?	16	127	246	N/A

Q27a.

Safety

When driving a car or other vehicle, how often do you...
read or send text messages?

	Total	Often	Sometimes	Never	No cell phone or computer
Unweighted Count	386	2	82	291	11
	100.0%	1.5%	41.4%	56.1%	1.0%
Read or send texts while driving					
		Often	Sometimes	Never	No cell phone or computer
Sex	Male	1.4%	44.9%	52.5%	1.2%
	Female	1.7%	38.2%	59.3%	0.8%
Age Groups	18-34	2.0%	57.6%	40.3%	0.0%
	35-44	0.0%	44.7%	55.3%	0.0%
	45-54	4.4%	47.6%	48.0%	0.0%
	55-64	0.0%	19.9%	78.7%	1.4%
	65-74	0.0%	9.1%	87.3%	3.6%
	75+	0.0%	1.7%	91.4%	6.9%
Education	High school/GED or less	0.0%	38.9%	59.3%	1.8%
	Some college/vocational school or Assoc Deg	3.2%	34.4%	61.3%	1.1%
	College graduate	0.0%	49.5%	49.7%	0.8%
	Graduate school or beyond	3.4%	37.9%	58.2%	0.5%
Income	<\$20,000	4.1%	62.4%	33.2%	0.3%
	\$20,000-\$34,999	0.0%	27.2%	70.9%	1.9%
	\$35,000-\$49,999	0.0%	32.4%	66.3%	1.4%
	\$50,000-\$74,999	0.0%	31.1%	66.8%	2.1%
	\$75,000-\$99,999	4.8%	28.8%	65.4%	0.9%
	\$100,000+	0.0%	51.8%	48.2%	0.0%

When driving a car or other vehicle, how often do you...
make or answer a phone call?

	Total	Often	Sometimes	Never	No cell phone or computer
Unweighted Count	383	28	217	130	8
	100.0%	9.4%	73.8%	15.9%	0.9%
Make or answer phone call while driving					
		Often	Sometimes	Never	No cell phone or computer
Sex	Male	9.4%	78.3%	11.3%	1.0%
	Female	9.4%	69.6%	20.2%	0.8%
Age Groups	18-34	6.8%	91.8%	1.4%	0.0%
	35-44	23.1%	70.7%	6.3%	0.0%
	45-54	6.5%	74.7%	18.7%	0.0%
	55-64	16.6%	51.2%	29.0%	3.3%
	65-74	2.4%	63.8%	30.8%	3.0%
	75+	.9%	23.2%	72.6%	3.4%
Education	High school/GED or less	7.2%	61.1%	31.1%	0.6%
	Some college/vocational school or Assoc Deg	9.6%	65.8%	23.1%	1.5%
	College graduate	9.9%	83.2%	6.1%	0.8%
	Graduate school or beyond	9.9%	77.3%	12.3%	0.5%
Income	<\$20,000	5.3%	82.9%	11.7%	0.0%
	\$20,000-\$34,999	4.2%	63.2%	31.5%	1.1%
	\$35,000-\$49,999	2.0%	84.3%	12.3%	1.4%
	\$50,000-\$74,999	7.5%	66.8%	22.3%	3.4%
	\$75,000-\$99,999	8.5%	72.6%	18.0%	0.9%
	\$100,000+	23.6%	73.3%	3.0%	0.0%

Q27c.

Safety

When driving a car or other vehicle, how often do you...
use a computer or tablet to watch movies or TV, surf the Internet or read/
send email?

	Total	Often	Sometimes	Never	No cell phone or computer
Unweighted Count	383	10	2	358	13
	100.0%	2.0%	1.9%	90.4%	5.7%
Use a computer/tablet while driving					
		Often	Sometimes	Never	No cell phone or computer
Sex	Male	0.6%	2.1%	86.1%	11.1%
	Female	3.2%	1.7%	94.3%	0.8%
Age Groups	18-34	2.7%	2.0%	84.7%	10.6%
	35-44	0.0%	0.0%	100.0%	0.0%
	45-54	1.3%	6.7%	91.9%	0.0%
	55-64	1.4%	0.0%	96.6%	1.9%
	65-74	1.8%	0.0%	93.9%	4.2%
	75+	3.4%	0.0%	88.9%	7.7%
Education	High school/GED or less	1.5%	0.0%	67.1%	31.4%
	Some college/vocational school or Assoc Deg	1.3%	0.0%	97.4%	1.3%
	College graduate	3.1%	2.7%	93.2%	1.0%
	Graduate school or beyond	1.0%	4.4%	94.1%	0.5%
Income	<\$20,000	4.1%	0.0%	74.0%	21.9%
	\$20,000-\$34,999	1.7%	6.3%	90.9%	1.1%
	\$35,000-\$49,999	0.7%	0.0%	97.5%	1.8%
	\$50,000-\$74,999	4.0%	0.0%	93.0%	3.0%
	\$75,000-\$99,999	0.0%	0.0%	99.1%	0.9%
	\$100,000+	0.9%	4.5%	94.2%	0.4%

When driving a car or other vehicle, how often do you... <i><u>do other activities such as eat, read, apply makeup or shave?</u></i>				
	Total	Often	Sometimes	Never
Unweighted Count	389	16	127	246
	100.0%	7.5%	35.3%	57.2%
		Other activities such as eat, read, apply makeup or shave while driving		
		Often	Sometimes	Never
Sex	Male	11.2%	30.5%	58.3%
	Female	4.1%	39.6%	56.3%
Age Groups	18-34	13.3%	28.3%	58.4%
	35-44	4.8%	54.3%	40.9%
	45-54	2.6%	44.1%	53.3%
	55-64	2.4%	40.6%	57.0%
	65-74	2.4%	31.1%	66.5%
	75+	3.4%	18.0%	78.6%
Education	High school/GED or less	4.0%	22.8%	73.1%
	Some college/vocational school or Assoc Deg	1.9%	46.6%	51.5%
	College graduate	15.3%	29.2%	55.5%
	Graduate school or beyond	3.2%	41.0%	55.7%
Income	<\$20,000	25.3%	20.3%	54.4%
	\$20,000-\$34,999	4.9%	41.6%	53.5%
	\$35,000-\$49,999	0.7%	37.7%	61.5%
	\$50,000-\$74,999	4.9%	30.7%	64.4%
	\$75,000-\$99,999	1.4%	39.1%	59.5%
	\$100,000+	2.0%	45.9%	52.1%

Q28.

Safety

28. How often do you wear a seat belt when you drive or ride in a car?

	Total	Never	Seldom	Some- times	Most of the time	Always
Unweighted Count	436	1	2	4	20	409
	100.0%	0.1%	0.3%	1.2%	9.5%	88.9%
How often wear a seatbelt while driving or riding in a car						
		Never	Seldom	Some- times	Most of the time	Always
Sex	Male	0.1%	0.6%	0.9%	16.4%	82.0%
	Female	0.0%	0.0%	1.5%	2.6%	95.9%
Age Groups	18-34	0.0%	0.0%	1.7%	15.2%	83.1%
	35-44	0.0%	0.0%	2.7%	4.4%	92.8%
	45-54	0.0%	0.0%	0.0%	2.1%	97.9%
	55-64	0.0%	1.8%	0.9%	8.0%	89.3%
	65-74	0.0%	0.6%	0.0%	6.3%	93.1%
	75+	0.7%	0.0%	0.0%	2.8%	96.5%
Education	High school/GED or less	0.3%	1.5%	1.9%	3.0%	93.3%
	Some college/vocational school or Assoc Deg	0.0%	0.0%	3.4%	8.2%	88.4%
	College graduate	0.0%	0.0%	0.0%	17.1%	82.9%
	Graduate school or beyond	0.0%	0.0%	0.0%	1.0%	99.0%
Income	<\$20,000	0.0%	0.0%	3.4%	15.5%	81.0%
	\$20,000-\$34,999	0.0%	0.0%	0.0%	6.4%	93.6%
	\$35,000-\$49,999	0.0%	1.9%	1.4%	21.7%	75.0%
	\$50,000-\$74,999	0.4%	0.3%	0.9%	0.8%	97.5%
	\$75,000-\$99,999	0.0%	0.0%	0.0%	3.0%	97.0%
	\$100,000+	0.0%	0.0%	0.0%	6.6%	93.4%

Tobacco Use

Calculated variable: Smoking Status

	Total	Current Smoker	Former Smoker	Never Smoked
Unweighted Count	432	38	143	251
	100.0%	7.8%	19.3%	72.9%
Calculated variable: Smoking Status				
		Current Smoker	Former Smoker	Never Smoked
Sex	Male	6.4%	15.4%	78.2%
	Female	9.3%	23.3%	67.5%
Age Groups	18-34	3.9%	7.2%	88.9%
	35-44	16.9%	31.9%	51.2%
	45-54	11.1%	9.8%	79.1%
	55-64	13.2%	30.6%	56.2%
	65-74	6.5%	40.2%	53.3%
	75+	2.2%	48.4%	49.4%
Education	High school/GED or less	14.0%	24.4%	61.5%
	Some college/vocational school or Assoc Deg	15.9%	23.8%	60.3%
	College graduate	2.7%	14.1%	83.2%
	Graduate school or beyond	0.5%	18.8%	80.7%
Income	<\$20,000	6.3%	8.9%	84.9%
	\$20,000-\$34,999	9.0%	26.1%	64.9%
	\$35,000-\$49,999	12.1%	23.0%	64.9%
	\$50,000-\$74,999	10.0%	29.6%	60.4%
	\$75,000-\$99,999	10.1%	22.9%	67.0%
	\$100,000+	4.1%	17.0%	78.8%

Q31.

Tobacco Use

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit?

	Total	Yes	No
Unweighted Count	36	20	16
	100.0%	60.6%	39.4%
		Stopped smoking for 1+ days because trying to quit in past 12 months	
		Yes	No
Sex	Male	70.8%	29.2%
	Female	53.1%	46.9%
Age Groups	18-34	100.0%	0.0%
	35-44	71.8%	28.2%
	45-54	11.5%	88.5%
	55-64	67.3%	32.7%
	65-74	36.4%	63.6%
	75+	66.7%	33.3%
Education	High school/GED or less	61.1%	38.9%
	Some college/vocational school or Assoc Deg	57.2%	42.8%
	College graduate	76.2%	23.8%
	Graduate school or beyond	0.0%	100.0%
Income	<\$20,000	57.0%	43.0%
	\$20,000-\$34,999	56.5%	43.5%
	\$35,000-\$49,999	23.8%	76.2%
	\$50,000-\$74,999	94.4%	5.6%
	\$75,000-\$99,999	90.9%	9.1%
	\$100,000+	64.5%	35.5%

If you have tried to quit smoking cigarettes, why hasn't it worked?
(mark all that apply)

	Not Checked	Checked
I am not sure how to quit or where to go for help	37	1
Quit aids such as gum, lozenges, prescriptions, etc. are too expensive	32	6
I live with someone who also smokes and who doesn't want to quit	31	7
I don't want to quit	27	11
I haven't tried to quit	34	4
Other reason	28	10

Q32.

Tobacco Use

If you have tried to quit smoking cigarettes, why hasn't it worked?
I am not sure how to quit or where to go for help

	Total	Not checked	Checked
Unweighted Count	38	37	1
	100.0%	97.8%	2.2%
Why hasn't quitting worked: I am not sure how to quit or where to go for help			
		Not checked	Checked
Sex	Male	94.7%	5.3%
	Female	100.0%	0.0%
Age Groups	18-34	100.0%	0.0%
	35-44	91.9%	8.1%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	93.4%	6.6%
	Some college/vocational school or Assoc Deg	100.0%	0.0%
	College graduate	100.0%	0.0%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	89.9%	10.1%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	100.0%	0.0%

If you have tried to quit smoking cigarettes, why hasn't it worked? <i><u>Quit aids such as gum, lozenges, prescriptions, etc. are too expensive</u></i>			
	Total	Not checked	Checked
Unweighted Count	38	32	6
	100.0%	81.8%	18.2%
		Why hasn't quitting worked: quit aids too expensive	
		Not checked	Checked
Sex	Male	96.3%	3.7%
	Female	71.6%	28.4%
Age Groups	18-34	57.1%	42.9%
	35-44	90.0%	10.0%
	45-54	88.5%	11.5%
	55-64	84.3%	15.7%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school/GED or less	87.2%	12.8%
	Some college/vocational school or Assoc Deg	91.9%	8.1%
	College graduate	23.8%	76.2%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	82.9%	17.1%
	\$20,000-\$34,999	76.5%	23.5%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	91.6%	8.4%
	\$75,000-\$99,999	46.5%	53.5%
	\$100,000+	100.0%	0.0%

Q32.

Tobacco Use

If you have tried to quit smoking cigarettes, why hasn't it worked? <i><u>I live with someone who also smokes and who doesn't want to quit</u></i>			
	Total	Not checked	Checked
Unweighted Count	38	31	7
	100.0%	82.1%	17.9%
		Why hasn't quitting worked: I live with a smoker who doesn't want to quit	
		Not checked	Checked
Sex	Male	69.7%	30.3%
	Female	90.7%	9.3%
Age Groups	18-34	100.0%	0.0%
	35-44	68.7%	31.3%
	45-54	100.0%	0.0%
	55-64	60.9%	39.1%
	65-74	91.0%	9.0%
	75+	100.0%	0.0%
Education	High school/GED or less	86.7%	13.3%
	Some college/vocational school or Assoc Deg	74.4%	25.6%
	College graduate	100.0%	0.0%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	93.1%	6.9%
	\$20,000-\$34,999	65.8%	34.2%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	81.6%	18.4%
	\$75,000-\$99,999	53.5%	46.5%
	\$100,000+	100.0%	0.0%

If you have tried to quit smoking cigarettes, why hasn't it worked? <i><u>I don't want to quit</u></i>			
	Total	Not checked	Checked
Unweighted Count	38	27	11
	100.0%	61.3%	38.7%
		Why hasn't quitting worked: I don't want to quit	
		Not checked	Checked
Sex	Male	70.3%	29.7%
	Female	55.0%	45.0%
Age Groups	18-34	71.4%	28.6%
	35-44	68.7%	31.3%
	45-54	11.5%	88.5%
	55-64	80.7%	19.3%
	65-74	72.8%	27.2%
	75+	66.7%	33.3%
Education	High school/GED or less	58.0%	42.0%
	Some college/vocational school or Assoc Deg	57.9%	42.1%
	College graduate	80.5%	19.5%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	43.0%	57.0%
	\$20,000-\$34,999	75.2%	24.8%
	\$35,000-\$49,999	38.1%	61.9%
	\$50,000-\$74,999	73.2%	26.8%
	\$75,000-\$99,999	77.6%	22.4%
	\$100,000+	75.6%	24.4%

Q32.

Tobacco Use

If you have tried to quit smoking cigarettes, why hasn't it worked?
I haven't tried to quit

	Total	Not checked	Checked
Unweighted Count	38	34	4
	100.0%	94.8%	5.2%
Why hasn't quitting worked: I haven't tried to quit			
		Not checked	Checked
Sex	Male	98.7%	1.3%
	Female	92.1%	7.9%
Age Groups	18-34	100.0%	0.0%
	35-44	90.0%	10.0%
	45-54	100.0%	0.0%
	55-64	93.9%	6.1%
	65-74	81.8%	18.2%
	75+	100.0%	0.0%
Education	High school/GED or less	98.3%	1.7%
	Some college/vocational school or Assoc Deg	91.2%	8.8%
	College graduate	100.0%	0.0%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	100.0%	0.0%
	\$20,000-\$34,999	96.1%	3.9%
	\$35,000-\$49,999	85.7%	14.3%
	\$50,000-\$74,999	96.6%	3.4%
	\$75,000-\$99,999	92.4%	7.6%
	\$100,000+	100.0%	0.0%

If you have tried to quit smoking cigarettes, why hasn't it worked? <u>Other reason</u>			
	Total	Not checked	Checked
Unweighted Count	38	28	10
	100.0%	77.4%	22.6%
		Why hasn't quitting worked: Other reason	
		Not checked	Checked
Sex	Male	73.0%	27.0%
	Female	80.4%	19.6%
Age Groups	18-34	71.4%	28.6%
	35-44	75.7%	24.3%
	45-54	100.0%	0.0%
	55-64	71.1%	28.9%
	65-74	63.0%	37.0%
	75+	66.7%	33.3%
Education	High school/GED or less	80.1%	19.9%
	Some college/vocational school or Assoc Deg	71.8%	28.2%
	College graduate	100.0%	0.0%
	Graduate school or beyond	0.0%	100.0%
Income	<\$20,000	93.6%	6.4%
	\$20,000-\$34,999	82.6%	17.4%
	\$35,000-\$49,999	76.2%	23.8%
	\$50,000-\$74,999	60.4%	39.6%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	24.4%	75.6%

Q33.

Tobacco Use

How often do you use any of the following products?		
	Non-user	Current user
Cigars, cigarillos, or little cigars	401	16
Pipes	408	5
Snuff, snus or chewing tobacco	409	6
E-cigarettes	395	12
Any other type of tobacco product	394	15
Marijuana	394	17

How often do you use any of the following products? <i>Cigars, cigarillos, or little cigars</i>			
	Total	Non-user	Current user
Unweighted Count	417	401	16
	100.0%	94.6%	5.4%
		Cigar smoking status	
		Non-user	Current user
Sex	Male	93.8%	6.2%
	Female	95.4%	4.6%
Age Groups	18-34	95.2%	4.8%
	35-44	82.6%	17.4%
	45-54	100.0%	0.0%
	55-64	93.4%	6.6%
	65-74	97.6%	2.4%
	75+	100.0%	0.0%
Education	High school/GED or less	90.6%	9.4%
	Some college/vocational school or Assoc Deg	88.5%	11.5%
	College graduate	98.4%	1.6%
	Graduate school or beyond	99.5%	0.5%
Income	<\$20,000	91.1%	8.9%
	\$20,000-\$34,999	98.1%	1.9%
	\$35,000-\$49,999	93.9%	6.1%
	\$50,000-\$74,999	95.4%	4.6%
	\$75,000-\$99,999	99.3%	0.7%
	\$100,000+	93.3%	6.7%

Q33b.

Tobacco Use

How often do you use any of the following products?			
<i>Pipes</i>			
	Total	Non-user	Current user
Unweighted Count	413	408	5
	100.0%	97.3%	2.7%
		Pipe smoking status	
		Non-user	Current user
Sex	Male	94.5%	5.5%
	Female	100.0%	0.0%
Age Groups	18-34	95.4%	4.6%
	35-44	100.0%	0.0%
	45-54	97.9%	2.1%
	55-64	99.0%	1.0%
	65-74	97.5%	2.5%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	97.9%	2.1%
	College graduate	99.8%	0.2%
	Graduate school or beyond	88.2%	11.8%
Income	<\$20,000	100.0%	0.0%
	\$20,000-\$34,999	84.1%	15.9%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	99.3%	0.7%
	\$75,000-\$99,999	96.9%	3.1%
	\$100,000+	99.5%	0.5%

How often do you use any of the following products? <i>Snuff, snus or chewing tobacco</i>			
	Total	Non-user	Current user
Unweighted Count	415	409	6
	100.0%	96.3%	3.7%
		Smokeless status	
		Non-user	Current user
Sex	Male	94.1%	5.9%
	Female	98.4%	1.6%
Age Groups	18-34	93.8%	6.2%
	35-44	97.1%	2.9%
	45-54	97.9%	2.1%
	55-64	99.0%	1.0%
	65-74	98.8%	1.2%
	75+	100.0%	0.0%
Education	High school/GED or less	100.0%	0.0%
	Some college/vocational school or Assoc Deg	96.8%	3.2%
	College graduate	92.6%	7.4%
	Graduate school or beyond	99.5%	0.5%
Income	<\$20,000	99.5%	0.5%
	\$20,000-\$34,999	100.0%	0.0%
	\$35,000-\$49,999	83.5%	16.5%
	\$50,000-\$74,999	100.0%	0.0%
	\$75,000-\$99,999	88.8%	11.2%
	\$100,000+	100.0%	0.0%

Q33d.

Tobacco Use

How often do you use any of the following products? <i>E-cigarettes</i>			
	Total	Non-user	Current user
Unweighted Count	407	395	12
	100.0%	89.7%	10.3%
		E-cigarette status	
		Non-user	Current user
Sex	Male	79.3%	20.7%
	Female	99.2%	0.8%
Age Groups	18-34	80.0%	20.0%
	35-44	93.9%	6.1%
	45-54	100.0%	0.0%
	55-64	95.3%	4.7%
	65-74	98.1%	1.9%
	75+	99.2%	0.8%
Education	High school/GED or less	71.3%	28.7%
	Some college/vocational school or Assoc Deg	96.6%	3.4%
	College graduate	88.3%	11.7%
	Graduate school or beyond	100.0%	0.0%
Income	<\$20,000	65.3%	34.7%
	\$20,000-\$34,999	96.8%	3.2%
	\$35,000-\$49,999	94.3%	5.7%
	\$50,000-\$74,999	99.6%	0.4%
	\$75,000-\$99,999	100.0%	0.0%
	\$100,000+	99.5%	0.5%

How often do you use any of the following products? <i><u>Any other type of tobacco product</u></i>			
	Total	Non-user	Current user
Unweighted Count	409	394	15
	100.0%	92.1%	7.9%
		Other tobacco status	
		Non-user	Current user
Sex	Male	89.9%	10.1%
	Female	94.2%	5.8%
Age Groups	18-34	85.3%	14.7%
	35-44	93.9%	6.1%
	45-54	98.8%	1.2%
	55-64	98.2%	1.8%
	65-74	98.1%	1.9%
	75+	99.2%	0.8%
Education	High school/GED or less	96.4%	3.6%
	Some college/vocational school or Assoc Deg	95.2%	4.8%
	College graduate	84.6%	15.4%
	Graduate school or beyond	99.5%	0.5%
Income	<\$20,000	78.4%	21.6%
	\$20,000-\$34,999	96.0%	4.0%
	\$35,000-\$49,999	97.3%	2.7%
	\$50,000-\$74,999	96.0%	4.0%
	\$75,000-\$99,999	94.2%	5.8%
	\$100,000+	99.5%	0.5%

How often do you use any of the following products? <i><u>Marijuana (do NOT include medical marijuana prescribed for you by a doctor)</u></i>			
	Total	Non-user	Current user
Unweighted Count	411	394	17
	100.0%	86.5%	13.5%
		Marijuana status	
		Non-user	Current user
Sex	Male	78.8%	21.2%
	Female	94.0%	6.0%
Age Groups	18-34	73.0%	27.0%
	35-44	95.4%	4.6%
	45-54	100.0%	0.0%
	55-64	94.9%	5.1%
	65-74	98.1%	1.9%
	75+	100.0%	0.0%
Education	High school/GED or less	97.5%	2.5%
	Some college/vocational school or Assoc Deg	91.8%	8.2%
	College graduate	71.0%	29.0%
	Graduate school or beyond	99.4%	0.6%
Income	<\$20,000	62.5%	37.5%
	\$20,000-\$34,999	91.8%	8.2%
	\$35,000-\$49,999	100.0%	0.0%
	\$50,000-\$74,999	95.2%	4.8%
	\$75,000-\$99,999	89.2%	10.8%
	\$100,000+	100.0%	0.0%

Does anyone, including yourself, smoke tobacco (not including e-cigarettes) regularly inside your home?			
	Total	Yes	No
Unweighted Count	435	21	414
	100.0%	3.7%	96.3%
		Does anyone (including yourself) smoke regularly inside your home (not including e-cigs)	
		Yes	No
Sex	Male	3.1%	96.9%
	Female	4.3%	95.7%
Age Groups	18-34	2.2%	97.8%
	35-44	2.5%	97.5%
	45-54	4.2%	95.8%
	55-64	11.2%	88.8%
	65-74	3.5%	96.5%
	75+	0.7%	99.3%
Education	High school/GED or less	10.5%	89.5%
	Some college/vocational school or Assoc Deg	6.2%	93.8%
	College graduate	0.0%	100.0%
	Graduate school or beyond	0.9%	99.1%
Income	<\$20,000	4.7%	95.3%
	\$20,000-\$34,999	8.9%	91.1%
	\$35,000-\$49,999	1.8%	98.2%
	\$50,000-\$74,999	2.7%	97.3%
	\$75,000-\$99,999	4.3%	95.7%
	\$100,000+	0.7%	99.3%

Q35.

Alcohol/Drug Use

During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

	Total	No	Yes
Unweighted Count	437	151	286
	100.0%	29.3%	70.7%
Any alcohol drinking in past 30 days			
		No	Yes
Sex	Male	24.1%	75.9%
	Female	34.5%	65.5%
Age Groups	18-34	21.6%	78.4%
	35-44	19.7%	80.3%
	45-54	48.5%	51.5%
	55-64	31.0%	69.0%
	65-74	34.3%	65.7%
	75+	50.0%	50.0%
Education	High school/GED or less	48.4%	51.6%
	Some college/vocational school or Assoc Deg	40.3%	59.7%
	College graduate	15.7%	84.3%
	Graduate school or beyond	21.8%	78.2%
Income	<\$20,000	27.8%	72.2%
	\$20,000-\$34,999	34.4%	65.6%
	\$35,000-\$49,999	27.6%	72.4%
	\$50,000-\$74,999	47.0%	53.0%
	\$75,000-\$99,999	19.8%	80.2%
	\$100,000+	23.0%	77.0%

Calculated variable:**Heavy drinking - Gender specific**

(Heavy drinking is defined as 30 or more drinks per month for females and 60 or more drinks per month for males)

	Total	No drinking or not heavy	Heavy drinking
Unweighted Count	437	410	27
	100.0%	92.0%	8.0%
		Calculated variable: Heavy drinking - Gender specific	
		No drinking or not heavy	Heavy drinking
Sex	Male	93.5%	6.5%
	Female	90.6%	9.4%
Age Groups	18-34	91.7%	8.3%
	35-44	95.8%	4.2%
	45-54	85.5%	14.5%
	55-64	91.2%	8.8%
	65-74	95.4%	4.6%
	75+	97.8%	2.2%
Education	High school/GED or less	95.4%	4.6%
	Some college/vocational school or Assoc Deg	89.8%	10.2%
	College graduate	94.9%	5.1%
	Graduate school or beyond	85.4%	14.6%
Income	<\$20,000	92.7%	7.3%
	\$20,000-\$34,999	90.8%	9.2%
	\$35,000-\$49,999	98.4%	1.6%
	\$50,000-\$74,999	94.3%	5.7%
	\$75,000-\$99,999	86.6%	13.4%
	\$100,000+	89.7%	10.3%

Calculated variable:**Binge drinking - Gender specific**

(Binge drinking is defined as having 4 or more drinks on at least one occasion for females and as having 5 or more drinks on at least one occasion for males)

	Total	No drinking or not binge	Any binge drinking
Unweighted Count	437	343	94
	100.0%	66.3%	33.7%
		Calculated variable: Binge drinking - Gender specific	
		No drinking or not binge	Binge drinking
Sex	Male	62.5%	37.5%
	Female	70.1%	29.9%
Age Groups	18-34	53.3%	46.7%
	35-44	64.1%	35.9%
	45-54	70.6%	29.4%
	55-64	82.4%	17.6%
	65-74	87.4%	12.6%
	75+	89.8%	10.2%
Education	High school/GED or less	92.8%	7.2%
	Some college/vocational school or Assoc Deg	66.7%	33.3%
	College graduate	54.0%	46.0%
	Graduate school or beyond	64.1%	35.9%
Income	<\$20,000	70.2%	29.8%
	\$20,000-\$34,999	64.2%	35.8%
	\$35,000-\$49,999	63.7%	36.3%
	\$50,000-\$74,999	74.1%	25.9%
	\$75,000-\$99,999	55.1%	44.9%
	\$100,000+	65.4%	34.6%

During the past 12 months, did you drive a car or truck when you thought that you had too much to drink?

Yes, I drove

	Total	Not checked	Yes, I drove
Unweighted Count	440	414	26
	100.0%	91.5%	8.5%
		Drove a car/truck in the past 12 months when I had too much to drink	
		Not checked	Yes, I drove
Sex	Male	85.1%	14.9%
	Female	94.6%	5.4%
Age Groups	18-34	85.2%	14.8%
	35-44	89.2%	10.8%
	45-54	95.8%	4.2%
	55-64	94.9%	5.1%
	65-74	96.0%	4.0%
	75+	92.2%	7.8%
Education	High school/GED or less	73.6%	26.4%
	Some college/vocational school or Assoc Deg	90.8%	9.2%
	College graduate	96.1%	3.9%
	Graduate school or beyond	91.8%	8.2%
Income	<\$20,000	82.3%	17.7%
	\$20,000-\$34,999	93.0%	7.0%
	\$35,000-\$49,999	97.9%	2.1%
	\$50,000-\$74,999	95.9%	4.1%
	\$75,000-\$99,999	86.8%	13.2%
	\$100,000+	90.4%	9.6%

Q39a.

Alcohol/Drug Use

During the past 12 months, did you ride in a car or truck when you thought that the driver had too much to drink?

Yes, I rode


	Total	Not checked	Yes, I rode
Unweighted Count	440	414	26
	100.0%	91.5%	8.5%
		Rode in a car/truck in the past 12 months when the driver had too much to drink	
		Not checked	Yes, I rode
Sex	Male	89.9%	10.1%
	Female	93.2%	6.8%
Age Groups	18-34	86.3%	13.7%
	35-44	94.7%	5.3%
	45-54	93.3%	6.7%
	55-64	96.2%	3.8%
	65-74	98.3%	1.7%
	75+	99.3%	0.7%
Education	High school/GED or less	99.5%	0.5%
	Some college/vocational school or Assoc Deg	93.7%	6.3%
	College graduate	85.2%	14.8%
	Graduate school or beyond	93.2%	6.8%
Income	<\$20,000	81.1%	18.9%
	\$20,000-\$34,999	98.7%	1.3%
	\$35,000-\$49,999	98.3%	1.7%
	\$50,000-\$74,999	94.4%	5.6%
	\$75,000-\$99,999	90.5%	9.5%
	\$100,000+	95.2%	4.8%

During the past 12 months, did you seriously think about killing yourself?			
	Total	Yes	No
Unweighted Count	433	9	424
	100.0%	2.6%	97.4%
		Suicidal thoughts in past 12 months	
		Yes	No
Sex	Male	2.6%	97.4%
	Female	2.6%	97.4%
Age Groups	18-34	1.7%	98.3%
	35-44	5.5%	94.5%
	45-54	4.3%	95.7%
	55-64	2.0%	98.0%
	65-74	0.0%	100.0%
	75+	3.7%	96.3%
Education	High school/GED or less	4.6%	95.4%
	Some college/vocational school or Assoc Degree	4.2%	95.8%
	College graduate	0.0%	100.0%
	Graduate school or beyond	3.8%	96.2%
Income	<\$20,000	4.0%	96.0%
	\$20,000-\$34,999	3.2%	96.8%
	\$35,000-\$49,999	0.0%	100.0%
	\$50,000-\$74,999	0.8%	99.2%
	\$75,000-\$99,999	7.5%	92.5%
	\$100,000+	0.0%	100.0%

How interested are you in having the following present in your community?

	Total	Very interested	Somewhat interested	Not very interested	Not at all interested
a. Safe place to walk and bike	430	280	94	39	17
	100.0%	77.1%	15.5%	5.6%	1.8%
b. More healthy foods and beverages at restaurants	428	224	141	45	18
	100.0%	59.0%	28.4%	9.6%	3.0%
c. More healthy foods and beverages at convenience/corner stores	431	185	134	81	31
	100.0%	54.5%	26.1%	14.5%	4.8%
d. Grocery delivery services	427	62	93	150	122
	100.0%	16.0%	24.6%	34.2%	25.2%
e. Farmer's markets	429	208	144	49	28
	100.0%	51.5%	32.4%	9.2%	6.8%
f. Community gardens	414	67	92	140	115
	100.0%	30.7%	24.5%	25.9%	18.8%
g. Mothers being encouraged to breast-feed their children	422	109	94	95	124
	100.0%	41.7%	21.5%	18.5%	18.3%
h. Smoke-free policies in multi-unit housing such as apartment buildings	427	250	72	45	60
	100.0%	65.7%	12.7%	11.0%	10.5%
i. People having access to health care programs for reducing obesity/tobacco use or managing chronic health conditions	429	208	133	49	39
	100.0%	58.8%	26.3%	9.8%	5.1%
j. Wellness programs where people work that promote healthy eating, physical activity, breastfeeding and quitting tobacco	426	197	142	50	37
	100.0%	54.1%	32.9%	9.3%	3.8%
k. Wellness programs at local daycares and schools that increase healthy eating and physical activity for children	431	242	120	37	32
	100.0%	63.1%	22.8%	6.0%	8.1%

Interest in Healthy Community Initiatives



Q55a.

Interest in Healthy Community Initiatives

How interested are you in having the following present in your community?

Safe places to walk and bike

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	430	17	39	94	280
	100.0%	1.8%	5.6%	15.5%	77.1%
Interest in having this in my community: Safe places to walk and bike					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	1.8%	5.5%	14.8%	77.9%
	Female	1.7%	5.8%	16.3%	76.2%
Age Groups	18-34	0.0%	1.7%	9.6%	88.7%
	35-44	4.6%	0.0%	19.8%	75.6%
	45-54	0.0%	12.5%	16.2%	71.3%
	55-64	3.5%	9.0%	19.8%	67.7%
	65-74	2.9%	11.5%	27.2%	58.4%
	75+	6.7%	13.2%	22.8%	57.4%
Education	High school/GED or less	4.8%	11.7%	13.8%	69.6%
	Some college/vocational school or Assoc Deg	2.5%	5.4%	23.9%	68.3%
	College graduate	0.4%	4.6%	11.1%	83.8%
	Graduate school or beyond	0.5%	2.0%	13.6%	84.0%
Income	<\$20,000	1.4%	3.5%	9.7%	85.4%
	\$20,000-\$34,999	4.6%	4.3%	23.7%	67.4%
	\$35,000-\$49,999	1.6%	2.8%	19.4%	76.2%
	\$50,000-\$74,999	1.9%	5.2%	23.6%	69.3%
	\$75,000-\$99,999	2.3%	8.3%	14.7%	74.7%
	\$100,000+	0.0%	8.7%	10.6%	80.7%

How interested are you in having the following present in your community?

More healthy foods and beverages at restaurants

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	428	18	45	141	224
	100.0%	3.0%	9.6%	28.4%	59.0%
Interest in having this in my community: More healthy foods/beverages at restaurants					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	3.9%	11.9%	29.1%	55.1%
	Female	2.1%	7.3%	27.7%	62.9%
Age Groups	18-34	0.0%	9.3%	18.8%	71.8%
	35-44	3.7%	5.4%	31.6%	59.3%
	45-54	6.4%	11.1%	41.9%	40.6%
	55-64	8.1%	10.6%	38.0%	43.4%
	65-74	2.9%	10.5%	41.5%	45.1%
	75+	5.2%	12.6%	26.5%	55.6%
Education	High school/GED or less	4.1%	2.0%	42.2%	51.7%
	Some college/vocational school or Assoc Deg	2.5%	7.9%	35.1%	54.6%
	College graduate	4.1%	10.7%	15.4%	69.8%
	Graduate school or beyond	0.5%	17.8%	32.7%	49.0%
Income	<\$20,000	1.6%	7.4%	20.5%	70.6%
	\$20,000-\$34,999	4.5%	17.5%	31.4%	46.6%
	\$35,000-\$49,999	0.9%	12.5%	26.2%	60.5%
	\$50,000-\$74,999	4.0%	9.4%	31.5%	55.1%
	\$75,000-\$99,999	1.6%	7.6%	25.7%	65.1%
	\$100,000+	6.0%	6.6%	37.5%	49.9%

Q55c.

Interest in Healthy Community Initiatives

How interested are you in having the following present in your community?
More healthy foods and beverages at convenience stores/corner stores

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	431	31	81	134	185
	100.0%	4.8%	14.5%	26.1%	54.5%
		Interest in having this in my community: More healthy foods/beverages at convenience/corner stores			
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	6.6%	16.2%	24.0%	53.2%
	Female	3.0%	12.8%	28.3%	55.8%
Age Groups	18-34	0.0%	9.9%	16.1%	74.0%
	35-44	3.6%	15.9%	25.6%	54.9%
	45-54	15.0%	16.7%	41.0%	27.3%
	55-64	7.0%	19.5%	34.8%	38.7%
	65-74	8.8%	22.1%	39.2%	29.9%
	75+	9.6%	19.8%	32.3%	38.3%
Education	High school/GED or less	5.5%	8.9%	31.7%	53.9%
	Some college/vocational school or Assoc Deg	3.5%	16.1%	31.6%	48.9%
	College graduate	3.9%	12.4%	23.2%	60.6%
	Graduate school or beyond	8.2%	22.7%	19.3%	49.8%
Income	<\$20,000	2.1%	4.7%	7.1%	86.1%
	\$20,000-\$34,999	6.4%	32.0%	25.5%	36.0%
	\$35,000-\$49,999	2.2%	16.9%	34.9%	46.0%
	\$50,000-\$74,999	9.1%	17.4%	32.7%	40.8%
	\$75,000-\$99,999	1.9%	8.1%	43.5%	46.5%
	\$100,000+	8.7%	17.0%	28.7%	45.5%

How interested are you in having the following present in your community?

Grocery delivery service

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	427	122	150	93	62
	100.0%	25.2%	34.2%	24.6%	16.0%
Interest in having this in my community: Grocery delivery service					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	29.6%	31.7%	22.4%	16.3%
	Female	20.6%	36.8%	26.9%	15.7%
Age Groups	18-34	21.6%	36.5%	26.5%	15.4%
	35-44	19.5%	34.8%	23.2%	22.5%
	45-54	25.7%	23.5%	29.0%	21.8%
	55-64	33.7%	30.8%	21.4%	14.1%
	65-74	30.1%	42.6%	19.2%	8.2%
	75+	36.4%	36.3%	18.1%	9.2%
Education	High school/GED or less	32.2%	21.0%	13.5%	33.3%
	Some college/vocational school or Assoc Deg	26.7%	40.0%	16.3%	17.0%
	College graduate	22.4%	38.9%	28.0%	10.7%
	Graduate school or beyond	21.9%	29.8%	41.5%	6.8%
Income	<\$20,000	18.8%	28.1%	27.5%	25.6%
	\$20,000-\$34,999	18.9%	47.2%	27.9%	6.0%
	\$35,000-\$49,999	38.1%	36.8%	18.6%	6.4%
	\$50,000-\$74,999	37.9%	32.3%	18.6%	11.2%
	\$75,000-\$99,999	31.6%	36.7%	17.5%	14.2%
	\$100,000+	17.0%	31.5%	31.3%	20.2%

How interested are you in having the following present in your community?

Farmer's markets

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	429	28	49	144	208
	100.0%	6.8%	9.2%	32.4%	51.5%
Interest in having this in my community: Farmer's markets					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	10.2%	8.2%	41.8%	39.8%
	Female	3.4%	10.3%	22.8%	63.5%
Age Groups	18-34	8.2%	8.9%	26.4%	56.5%
	35-44	2.8%	2.8%	32.7%	61.7%
	45-54	0.0%	10.0%	49.2%	40.8%
	55-64	11.4%	9.4%	32.0%	47.1%
	65-74	3.5%	16.7%	36.1%	43.7%
	75+	12.8%	12.8%	34.4%	40.0%
Education	High school/GED or less	18.6%	7.0%	21.7%	52.7%
	Some college/vocational school or Assoc Deg	6.6%	10.4%	26.7%	56.2%
	College graduate	4.4%	10.5%	32.1%	53.1%
	Graduate school or beyond	0.0%	6.0%	53.5%	40.5%
Income	<\$20,000	8.7%	8.0%	26.7%	56.6%
	\$20,000-\$34,999	3.5%	4.5%	42.2%	49.7%
	\$35,000-\$49,999	12.3%	14.1%	32.0%	41.5%
	\$50,000-\$74,999	1.3%	15.5%	31.9%	51.3%
	\$75,000-\$99,999	12.1%	7.0%	20.9%	60.0%
	\$100,000+	2.4%	7.4%	43.9%	46.3%

How interested are you in having the following present in your community?
Community gardens

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	414	115	140	92	67
	100.0%	18.8%	25.9%	24.5%	30.7%
Interest in having this in my community: Community gardens					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	19.7%	19.9%	30.9%	29.5%
	Female	18.0%	31.9%	18.2%	31.9%
Age Groups	18-34	10.6%	14.9%	27.5%	47.0%
	35-44	11.0%	32.9%	24.4%	31.7%
	45-54	22.7%	29.9%	25.2%	22.2%
	55-64	35.1%	36.7%	14.4%	13.8%
	65-74	24.1%	41.5%	27.8%	6.7%
	75+	39.3%	36.9%	20.7%	3.1%
Education	High school/GED or less	24.8%	22.7%	15.8%	36.7%
	Some college/vocational school or Assoc Deg	24.4%	35.0%	18.6%	22.0%
	College graduate	15.3%	25.2%	25.2%	34.2%
	Graduate school or beyond	13.4%	15.9%	40.0%	30.6%
Income	<\$20,000	5.7%	14.2%	31.0%	49.1%
	\$20,000-\$34,999	17.0%	24.5%	36.4%	22.1%
	\$35,000-\$49,999	29.3%	22.8%	24.0%	23.9%
	\$50,000-\$74,999	27.0%	44.3%	22.6%	6.1%
	\$75,000-\$99,999	24.1%	23.1%	9.0%	43.7%
	\$100,000+	21.1%	33.6%	20.7%	24.6%

How interested are you in having the following present in your community?

Mothers being encouraged to breastfeed their children

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	422	124	95	94	109
	100.0%	18.3%	18.5%	21.5%	41.7%
Interest in having this in my community: Mothers being encouraged to breastfeed their children					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	16.6%	19.8%	16.1%	47.5%
	Female	19.9%	17.2%	26.9%	35.9%
Age Groups	18-34	9.9%	8.3%	22.8%	59.0%
	35-44	12.9%	28.3%	31.9%	26.8%
	45-54	21.4%	29.5%	11.1%	38.0%
	55-64	34.8%	25.5%	20.6%	19.1%
	65-74	26.1%	30.7%	19.6%	23.6%
	75+	37.0%	19.9%	18.4%	24.7%
Education	High school/GED or less	41.3%	14.5%	7.8%	36.4%
	Some college/vocational school or Assoc Deg	18.4%	23.1%	24.5%	34.0%
	College graduate	10.4%	15.9%	27.4%	46.3%
	Graduate school or beyond	11.1%	22.2%	19.5%	47.2%
Income	<\$20,000	17.8%	5.8%	15.9%	60.6%
	\$20,000-\$34,999	22.8%	18.8%	16.1%	42.3%
	\$35,000-\$49,999	17.7%	24.3%	22.3%	35.6%
	\$50,000-\$74,999	23.8%	21.7%	27.4%	27.2%
	\$75,000-\$99,999	21.1%	17.7%	26.1%	35.2%
	\$100,000+	11.2%	29.5%	24.3%	35.0%

How interested are you in having the following present in your community?
Smoke-free policies in multi-unit housing such as apartment buildings

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	427	60	45	72	250
	100.0%	10.5%	11.0%	12.7%	65.7%
Interest in having this in my community: Smoke-free policies in multi-unit housing					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	10.8%	11.1%	11.4%	66.7%
	Female	10.2%	11.0%	14.1%	64.8%
Age Groups	18-34	5.5%	8.8%	10.0%	75.7%
	35-44	3.9%	20.6%	16.4%	59.0%
	45-54	16.9%	13.0%	6.1%	64.1%
	55-64	28.6%	10.6%	19.1%	41.7%
	65-74	10.1%	11.9%	23.3%	54.7%
	75+	9.5%	4.4%	13.9%	72.3%
Education	High school/GED or less	17.0%	14.3%	8.7%	60.1%
	Some college/vocational school or Assoc Deg	13.0%	11.8%	18.0%	57.2%
	College graduate	8.4%	5.0%	11.8%	74.8%
	Graduate school or beyond	4.7%	19.8%	11.4%	64.1%
Income	<\$20,000	6.9%	4.7%	11.8%	76.5%
	\$20,000-\$34,999	12.1%	31.5%	10.8%	45.6%
	\$35,000-\$49,999	20.3%	9.9%	12.6%	57.1%
	\$50,000-\$74,999	13.1%	7.1%	20.1%	59.6%
	\$75,000-\$99,999	11.5%	8.5%	6.4%	73.5%
	\$100,000+	6.4%	11.1%	13.0%	69.5%

How interested are you in having the following present in your community?

People having access to health care programs for reducing obesity/tobacco use or managing chronic health conditions

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	429	39	49	133	208
	100.0%	5.1%	9.8%	26.3%	58.8%
Interest in having this in my community: People having access to health care programs for...					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	2.9%	7.9%	25.8%	63.3%
	Female	7.4%	11.6%	26.7%	54.2%
Age Groups	18-34	1.7%	8.9%	18.9%	70.5%
	35-44	5.6%	10.5%	28.9%	55.0%
	45-54	7.7%	3.8%	40.7%	47.8%
	55-64	9.2%	17.9%	30.1%	42.9%
	65-74	8.3%	13.6%	31.2%	47.0%
	75+	10.2%	6.5%	29.2%	54.1%
Education	High school/GED or less	10.8%	11.9%	25.6%	51.8%
	Some college/vocational school or Assoc Deg	6.5%	10.9%	30.3%	52.3%
	College graduate	2.5%	10.7%	22.3%	64.5%
	Graduate school or beyond	2.9%	4.2%	30.3%	62.6%
Income	<\$20,000	2.7%	2.8%	20.9%	73.6%
	\$20,000-\$34,999	10.7%	9.0%	16.7%	63.6%
	\$35,000-\$49,999	3.3%	19.9%	22.3%	54.5%
	\$50,000-\$74,999	12.6%	5.5%	34.9%	47.0%
	\$75,000-\$99,999	3.1%	16.3%	24.0%	56.5%
	\$100,000+	2.4%	11.7%	37.1%	48.8%

How interested are you in having the following present in your community?

Wellness programs where people work that promote healthy eating, physical activity, breastfeeding and quitting tobacco

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	426	37	50	142	197
	100.0%	3.8%	9.3%	32.9%	54.1%
Interest in having this in my community: Wellness programs where people work					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	2.8%	8.2%	36.2%	52.8%
	Female	4.7%	10.4%	29.4%	55.4%
Age Groups	18-34	0.6%	6.1%	30.3%	63.0%
	35-44	5.5%	1.7%	26.5%	66.4%
	45-54	1.2%	14.1%	43.4%	41.2%
	55-64	8.6%	19.8%	31.5%	40.1%
	65-74	10.8%	12.4%	40.7%	36.1%
	75+	9.6%	11.0%	33.8%	45.6%
Education	High school/GED or less	6.1%	15.1%	17.3%	61.6%
	Some college/vocational school or Assoc Deg	5.8%	10.9%	37.1%	46.2%
	College graduate	2.0%	7.0%	39.8%	51.3%
	Graduate school or beyond	2.4%	6.2%	28.6%	62.8%
Income	<\$20,000	3.0%	3.8%	29.3%	64.0%
	\$20,000-\$34,999	5.7%	14.3%	27.7%	52.3%
	\$35,000-\$49,999	2.0%	20.4%	30.4%	47.2%
	\$50,000-\$74,999	8.2%	9.3%	32.6%	49.9%
	\$75,000-\$99,999	3.2%	9.8%	37.7%	49.4%
	\$100,000+	2.0%	5.5%	38.4%	54.1%

How interested are you in having the following present in your community?
Wellness programs at local daycares and schools that increase healthy eating and physical activity for children

	Total	Not at all interested	Not very interested	Somewhat interested	Very interested
Unweighted Count	431	32	37	120	242
	100.0%	8.1%	6.0%	22.8%	63.1%
Interest in having this in my community: Wellness programs at local daycares and schools					
		Not at all interested	Not very interested	Somewhat interested	Very interested
Sex	Male	10.1%	6.7%	25.4%	57.8%
	Female	6.1%	5.3%	20.2%	68.4%
Age Groups	18-34	11.0%	3.3%	12.2%	73.5%
	35-44	3.1%	4.1%	23.4%	69.4%
	45-54	3.8%	5.0%	46.9%	44.2%
	55-64	9.7%	15.7%	21.7%	52.9%
	65-74	6.4%	8.6%	38.1%	46.9%
	75+	5.9%	7.4%	28.1%	58.5%
Education	High school/GED or less	21.9%	8.0%	12.5%	57.5%
	Some college/vocational school or Assoc Deg	3.0%	7.5%	31.3%	58.2%
	College graduate	7.8%	6.3%	19.1%	66.8%
	Graduate school or beyond	1.9%	1.2%	29.5%	67.3%
Income	<\$20,000	9.1%	3.4%	14.7%	72.9%
	\$20,000-\$34,999	8.4%	11.8%	17.4%	62.4%
	\$35,000-\$49,999	17.7%	12.0%	22.7%	47.6%
	\$50,000-\$74,999	4.0%	6.9%	28.8%	60.3%
	\$75,000-\$99,999	8.0%	1.8%	21.3%	68.9%
	\$100,000+	3.5%	4.1%	33.6%	58.9%

Appendix A: Survey Methodology

Survey Instrument

The survey instrument used for the project was adapted from surveys conducted in 2013 in the following nine counties: Blue Earth, Brown, Faribault, Freeborn, Le Sueur, Martin, Nicollet, Waseca, and Watonwan. The county public health agencies and Mayo Clinic Health System worked together to slightly revise the survey content with technical assistance from the Minnesota Department of Health Center for Health Statistics. The survey was formatted by the vendor, Survey Systems, Inc. of New Brighton, MN, as a scannable, self-administered English-language questionnaire.

Sample

A two-stage sampling strategy was used for obtaining probability samples of adults living in each of the nine counties. A separate sample was drawn for each county. For the first stage of sampling, a random sample of county residential addresses was purchased from a national sampling vendor (Marketing Systems Group of Horsham, PA). Address-based sampling was used so that all households would have an equal chance of being sampled for the survey. Marketing Systems Group obtained the list of addresses from the U.S. Postal Service. For the second stage of sampling, the “most recent birthday” method of within-household respondent selection was used to specify one adult from each selected household to complete the survey.

Survey Administration

An initial survey packet that included a cover letter, the survey instrument, and a postage-paid return envelope was mailed on April 20, 2016, to 16,800 sampled households (2,000 in six of the counties and 1,600 in three of the counties). About one week after the first survey packets were mailed (April 29), a reminder postcard was sent to all sampled households, reminding those who had not yet returned a survey to do so, and thanking those who had already responded. Two weeks after the reminder postcards were mailed (May 11-13), another full survey packet was sent to all households that still had not returned the survey. The remaining completed surveys were received over the next five weeks, with the final date for the receipt of surveys being June 17, 2016.

Completed Surveys and Response Rate

Completed surveys were received from 4,782 adult residents of the nine counties; thus, the overall response rate was 28.5% (4,782/16,800). County-specific response rates can be found on the next page.

Data Entry and Weighting

The responses from the completed surveys were scanned into an electronic file by Survey Systems, Inc.

To ensure that the survey results are representative of the adult population of each of the nine counties, the data were weighted when analyzed. The weighting accounts for the sample design by adjusting for the number of adults living in each sampled household. The weighting also includes a post-stratification adjustment so that the gender and age distribution of the survey respondents mirrors the gender and age distribution of the adult populations of the nine counties, according to U.S. Census Bureau American Community Survey 2010-2014 estimates.

County	Completed Surveys	Response Rate
Blue Earth	450	22.5%
Brown	608	30.4%
Faribault	496	31.0%
Freeborn	586	29.3%
Le Sueur	592	29.6%
Martin	430	26.9%
Nicollet	611	30.6%
Waseca	584	29.2%
Watonwan	425	26.6%
Total	4782	28.5%

Appendix B: Survey Instrument

SOUTH CENTRAL MINNESOTA COMMUNITY HEALTH SURVEY

SURVEY INSTRUCTIONS



- Please use #2 pencil or blue or black pen to complete this survey.
- Do not use red pencil or ink.
- Do not use X's or check marks to indicate your responses.
- Fill response ovals completely with heavy, dark marks.

INSTRUCTION: Please give this survey to the adult (age 18 or over) in the household who has most recently had a birthday.

1. In general, which of the following best describes your health?

- ☐ Excellent
 ☐ Very good
 ☐ Good
 ☐ Fair
 ☐ Poor

2. Have you ever been told by a doctor, nurse, or other health professional that you had any of the following health conditions?

	No	Yes	Yes, but only during pregnancy
a. High blood pressure or hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Diabetes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Overweight	<input type="radio"/>	<input type="radio"/>	
d. Cancer	<input type="radio"/>	<input type="radio"/>	
e. Chronic lung disease (including COPD, chronic bronchitis or emphysema)	<input type="radio"/>	<input type="radio"/>	
f. Heart trouble or angina	<input type="radio"/>	<input type="radio"/>	
g. Stroke or stroke-related health problems	<input type="radio"/>	<input type="radio"/>	
h. High cholesterol or triglycerides	<input type="radio"/>	<input type="radio"/>	
i. Depression	<input type="radio"/>	<input type="radio"/>	
j. Anxiety or panic attacks	<input type="radio"/>	<input type="radio"/>	
k. Memory loss, Alzheimer's disease or another form of dementia	<input type="radio"/>	<input type="radio"/>	
l. Other mental health problems	<input type="radio"/>	<input type="radio"/>	
m. Obesity	<input type="radio"/>	<input type="radio"/>	
n. Asthma	<input type="radio"/>	<input type="radio"/>	

3. What kind of place do you usually go to when you are sick or need advice about your health?

- | | |
|---|---|
| <input type="radio"/> A doctor's office | <input type="radio"/> An urgent care clinic |
| <input type="radio"/> A clinic | <input type="radio"/> Call a Nurseline |
| <input type="radio"/> Public health | <input type="radio"/> Visit an online or "virtual" clinic |
| <input type="radio"/> Some other health center | <input type="radio"/> No usual place |
| <input type="radio"/> Express Care or Minute Clinic | <input type="radio"/> Some other place _____ |
| <input type="radio"/> An emergency room | |

BEGIN SURVEY →

DO NOT WRITE IN THIS BOX



Survey Instrument

4. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

☐ Yes ☐ No ► IF NO, GO TO QUESTION 6

5. Why did you not get or delay getting the medical care you thought you needed?
(Mark ALL that apply)

- ☐ I could not get an appointment
- ☐ I did not think it was serious enough
- ☐ I had transportation problems
- ☐ It cost too much
- ☐ I do not have insurance
- ☐ My insurance did not cover it
- ☐ Other reason _____

6. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

☐ Yes ☐ No ► IF NO, GO TO QUESTION 8

7. Why did you not get or delay getting the dental care you thought you needed? (Mark ALL that apply)

- ☐ I could not get an appointment
- ☐ I did not think it was serious enough
- ☐ I had transportation problems
- ☐ I was too nervous or afraid
- ☐ It cost too much
- ☐ I do not have insurance
- ☐ The dentist wouldn't accept my insurance
- ☐ I didn't know where to go
- ☐ Other reason _____

8. In the past 12 months, have you experienced feelings of hopelessness, anxiety or loss of interest in things you used to enjoy?

☐ Yes ☐ No

9. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excessive worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

☐ Yes ☐ No ► IF NO, GO TO QUESTION 11

10. Why did you not get or delay getting the care you thought you needed? (Mark ALL that apply)

- ☐ I could not get an appointment
- ☐ I did not think it was serious enough
- ☐ I had transportation problems
- ☐ I was too nervous or afraid
- ☐ It cost too much
- ☐ I do not have insurance
- ☐ My insurance did not cover it
- ☐ I did not know where to go
- ☐ Other reason _____

11. When was the last time you had...

	Within the past year	Within the past 2 years	Within the past 5 years	Five or more years ago	Never
a. ...a general health exam?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...a flu shot?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. ...a dental exam or your teeth cleaned?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. ...a hearing test?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. ...an eye exam?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. ...a check for diabetes such as a fasting blood glucose test?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. ...any screening for skin cancer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. ...any screening for colon cancer? <i>Examples are fecal occult blood test, proctoscopic exam, sigmoidoscopy, colonoscopy and barium enema</i>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. ...a prostate exam (men only)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. ...a Pap test (women only)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. ...a mammogram (women only)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Survey Instrument

12. Do you currently have any of the following types of health insurance?

(Please mark yes or no for each.)

a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer	<input type="radio"/> No	<input type="radio"/> Yes
b. Health insurance or coverage bought directly by yourself or your family (<u>not</u> through an employer)	<input type="radio"/> No	<input type="radio"/> Yes
c. Indian or Tribal Health Service	<input type="radio"/> No	<input type="radio"/> Yes
d. Medicare	<input type="radio"/> No	<input type="radio"/> Yes
e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	<input type="radio"/> No	<input type="radio"/> Yes
f. MinnesotaCare	<input type="radio"/> No	<input type="radio"/> Yes
g. Insurance through MnSure	<input type="radio"/> No	<input type="radio"/> Yes
h. CHAMPUS, TRICARE, or Veteran's benefits	<input type="radio"/> No	<input type="radio"/> Yes
i. Other health insurance or coverage (please specify) _____	<input type="radio"/> No	<input type="radio"/> Yes
j. NO health insurance coverage	<input type="radio"/> No	<input type="radio"/> Yes

13. If you do not have health insurance, why not? (Mark ALL that apply)

- | | |
|---|---|
| <input type="radio"/> My employer doesn't offer it | <input type="radio"/> I was denied due to a pre-existing condition |
| <input type="radio"/> I cannot pay for it | <input type="radio"/> I no longer qualify for Medical Assistance, MinnesotaCare or another government program |
| <input type="radio"/> I lost my employment | <input type="radio"/> Other reason _____ |
| <input type="radio"/> I was dropped by my insurance company | |

Write the number in the boxes, then fill in the appropriate circle beneath each box.

14. A serving of vegetables—not including french fries— is one cup of salad greens or a half cup of vegetables. How many servings of vegetables did you have <u>yesterday</u>?	<table border="1" style="border-collapse: collapse; text-align: center;"> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> </table>																			15. A serving of fruit is a medium-sized piece of fruit or a half cup of chopped, cut or canned fruit. How many servings of fruit did you have <u>yesterday</u>?	<table border="1" style="border-collapse: collapse; text-align: center;"> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> </table>																			16. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have <u>yesterday</u>?	<table border="1" style="border-collapse: collapse; text-align: center;"> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> </table>																		

17. How many glasses of each of the following did you drink yesterday?

Think of a "glass" as a 12-oz. serving.

	0	1-2	3-4	5-6	7 or more
a. Pop or soda (regular)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pop or soda (diet)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Sports or energy drinks (Gatorade, Red Bull, Monster, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Other sugar-sweetened drinks, such as sweet tea, lemonade, coffee drinks, juice drinks, or Kool-aid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

18. In an average week, how many times do you eat out or order out a meal from a fast food place (McDonald's, KFC, Taco Bell, pizza places, etc.)?

0	1-2	3-4	5-6	7 or more
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Survey Instrument

19. During the past 12 months, have you used a community food shelf program?

- ☐ Yes ☐ No

20. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

- ☐ Often ☐ Rarely
☐ Sometimes ☐ Never

21. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

- ☐ Yes ☐ No

22. During an average week, other than your regular job, how many days do you get at least 30 minutes of *moderate* physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

Days per Week

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7

23. During an average week, other than your regular job, how many days do you get at least 20 minutes of *vigorous* physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

Days per Week

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7

24. What prevents you from being more physically active? (Mark ALL that apply)

- ☐ Lack of time
☐ Lack of programs, leaders or facilities
☐ I don't know how to get started or where to go
☐ The cost of fitness programs, gym membership or admission fees
☐ I don't want to
☐ Other reason

25. In the past 12 months, has someone living in your home made you fearful through action, tone of voice, threats, or destroying your property?

- ☐ Yes
☐ No

26. Do you ever drive a car or other vehicle?

- ☐ Yes
☐ No ► IF NO, GO TO QUESTION 28

27. When DRIVING a car or other vehicle, how often do you...

	Often	Sometimes	Never	I don't have a cell phone or computer
a. ...read or send text messages?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...make or answer a phone call?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. ...use a computer or tablet to watch movies or TV, surf the internet or read/send email?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. ...do other activities such as eat, read, apply makeup or shave?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Survey Instrument

28. How often do you wear a seat belt when you drive or ride in a car?

- ☐ Always
- ☐ Most of the time
- ☐ Sometimes
- ☐ Seldom
- ☐ Never

29. Have you smoked at least 100 cigarettes in your entire life? (100 cigarettes = 5 packs)

- ☐ Yes
- ☐ No ► **GO TO QUESTION 33**

30. Do you now smoke cigarettes every day, some days or not at all?

- ☐ Every day ► **GO TO QUESTION 31**
- ☐ Some days ► **GO TO QUESTION 31**
- ☐ Not at all ► **GO TO QUESTION 33**

31. During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit?

- ☐ Yes
- ☐ No

32. If you have tried to quit smoking cigarettes, why hasn't it worked? (Mark ALL that apply)

- ☐ I am not sure how to quit or where to go for help
- ☐ Quit aids such as gum, lozenges, prescriptions, etc. are too expensive
- ☐ I live with someone who also smokes and who doesn't want to quit
- ☐ Other reason _____
- ☐ I don't want to quit
- ☐ I haven't tried to quit

33. How often do you use any of the following products?

	Every day	Some days	Never
a. Cigars, cigarillos, or little cigars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pipes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Snuff, snus or chewing tobacco	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. E-cigarettes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Any other type of tobacco product	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Marijuana (do NOT include medical marijuana prescribed for you by a doctor)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

34. Does anyone, including yourself, smoke tobacco (not including e-cigarettes) regularly inside your home?

- ☐ Yes
- ☐ No

Survey Instrument

35. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

- ☐ Yes
☐ No ► IF NO, GO TO QUESTION 39

36. During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? →

Days	
0	0
1	1
2	2
3	3
4	
5	
6	
7	
8	
9	

37. During the past 30 days, on the days when you drank, about how many drinks did you drink on average?
(A drink is one can of beer, one glass of wine, or a drink with one shot of liquor.)

- | | | |
|--------------------------------|--------------------------------|---------------------------------|
| <input type="radio"/> 1 drink | <input type="radio"/> 5 drinks | <input type="radio"/> 9 drinks |
| <input type="radio"/> 2 drinks | <input type="radio"/> 6 drinks | <input type="radio"/> 10 drinks |
| <input type="radio"/> 3 drinks | <input type="radio"/> 7 drinks | or more |
| <input type="radio"/> 4 drinks | <input type="radio"/> 8 drinks | |

38. Considering all types of alcoholic beverages, how many times during the past 30 days did you have...? →

FOR FEMALES:
4 or more drinks on one occasion

FOR MALES:
5 or more drinks on one occasion

Times	
0	0
1	1
2	2
3	3
4	
5	
6	
7	
8	
9	

Times	
0	0
1	1
2	2
3	3
4	
5	
6	
7	
8	
9	

39. During the past 12 months, did you drive or ride in any of the following types of vehicles when you thought that the driver had too much to drink?

	Yes, I drove	Yes, I rode	No
a. Car or truck	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Motorcycle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Boat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Snowmobile/ATV/Jet Ski	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

40. During the past 12 months, did you seriously think about killing yourself?

- ☐ Yes
☐ No

41. Are you:

- ☐ Male
☐ Female

42. Your age group:

- | | | | |
|-----------------------------|-----------------------------|-----------------------------|---------------------------|
| <input type="radio"/> 18-24 | <input type="radio"/> 35-44 | <input type="radio"/> 55-64 | <input type="radio"/> 75+ |
| <input type="radio"/> 25-34 | <input type="radio"/> 45-54 | <input type="radio"/> 65-74 | |

Survey Instrument

43. Including yourself, how many adults (age 18 or older) live in your household?

Number of Adults:

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ or more

44. How many children (under age 18) live in your household?

Number of Children:

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ or more

45. Are you a member of any of the following ethnic or cultural groups?

	Yes	No
a. Hispanic or a Latino/Latina	<input type="radio"/>	<input type="radio"/>
b. Somali	<input type="radio"/>	<input type="radio"/>
c. Sudanese	<input type="radio"/>	<input type="radio"/>
d. Burmese	<input type="radio"/>	<input type="radio"/>
e. Karen	<input type="radio"/>	<input type="radio"/>
f. Other _____	<input type="radio"/>	<input type="radio"/>

46. Which of the following best describes you?
(Mark ALL that apply)

- ☐ American Indian or Alaska Native
☐ Black or African American or African
☐ Asian or Pacific Islander
☐ White
☐ Other: _____

47. What is the highest level of education you have completed?

- ☐ Less than high school
☐ High school graduate or GED
☐ Some college/vocational school
☐ Associate's degree (2-year degree)
☐ College graduate (4-year degree)
☐ Graduate school or beyond

48. About how tall are you without shoes? →

Feet	Inches
①	①
②	②
③	③
④	④
⑤	⑤
⑥	⑥
⑦	⑦
	⑧
	⑨
	⑩
	⑪

49. About how much do you weigh without shoes? →

Pounds		
①	①	①
②	②	②
③	③	③
④	④	④
⑤	⑤	⑤
⑥	⑥	⑥
⑦	⑦	⑦
⑧	⑧	⑧
⑨	⑨	⑨

50. Household income per year:

- ☐ Less than \$10,000
☐ \$10,000 - \$19,999
☐ \$20,000 - \$34,999
☐ \$35,000 - \$49,999
☐ \$50,000 - \$74,999
☐ \$75,000 - \$99,999
☐ \$100,000 - \$149,999
☐ \$150,000 - \$199,999
☐ \$200,000 or more

51. Are you currently... (Mark ALL that apply)

- ☐ Employed
☐ Self-employed or farmer
☐ Unemployed or out of work
☐ A homemaker or stay-at-home parent
☐ A student
☐ Retired

Survey Instrument

52. Who do you live with? (Mark ALL that apply)

- ☐ Your spouse ☐ Non-relative(s)
☐ Your partner ☐ I live alone
☐ Other relative(s) (children, parents, etc.) ☐ I live with more than one family to save money
☐ I have no permanent home (I am homeless)

53. Are you the primary caregiver for... (Mark ALL that apply)

- ☐ One or more children under age 18 ☐ Other _____
☐ One or more disabled children under age 1 ☐ No one ► IF NO ONE, GO TO QUESTION 55
☐ One or more older adults

54. If you have caregiving responsibilities, do you have enough help in the following areas?

	Yes	No
a. Financial assistance	<input type="radio"/>	<input type="radio"/>
b. Family support	<input type="radio"/>	<input type="radio"/>
c. Help from outside organizations, such as home health care, adult daycare, etc.	<input type="radio"/>	<input type="radio"/>

55. How interested are you in having the following present in your community?

	Very interested	Somewhat interested	Not very interested	Not at all interested
a. Safe places to walk and bike	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. More healthy foods and beverages <u>at restaurants</u>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. More healthy foods and beverages <u>at convenience stores/corner stores</u>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Grocery delivery service	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Farmer's markets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Community gardens	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Mothers being encouraged to breastfeed their children	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Smoke-free policies in multi-unit housing such as apartment buildings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. People having access to health care programs for reducing obesity/tobacco use or managing chronic health conditions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Wellness programs where people work that promote healthy eating, physical activity, breastfeeding and quitting tobacco	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Wellness programs at local daycares and schools that increase healthy eating and physical activity for children	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Thank you for your participation!

Blue Earth County Health Needs Assessment, Fall 2016

